



# UNIVERSAL

The section that covers the 'everything in between' but if we have missed something that you need please let us know.

## IN THIS SECTION:

Abrasive Paper	466	Ceramic Hand Tools	500
Adhesives	466	Composite Hand Tools	501
Aftercare	467	General Hand Tools	502
Aprons	469	Plaster Hand Tools	502
Articulating Paper	470	Wax Carvers	503
Artex® Articulators	473	Wax Knives	504
Artex® Consumables	474	Hand Tool Kits	504
Basic Articulators	475	Hygiene	505
Disposable Articulators	476	Impression Materials	506
Magnetic Articulators	476	Silicone Impression Material	507
Plasterless Articulators	477	Bite Registration	508
Blast Media	478	Mixing Tips	508
Blocking Out & Undercuts	479	Impression Trays	509
Blow Off Nozzles	481	Impression Tray Consumables	510
Bowls	481	Lab Software	511
Kolinsky Brushes	482	Light Cure Trays	512
Synthetic Brushes	484	Magnification	512
General Brushes	485	Measuring	512
Bunsen Burners	486	Miscellaneous	513
Bunsen Burner Accessories	487	Mixing Palettes	517
Bunsen Burner Refillable Devices	488	Model Trimmer Wheels	518
Casting Tongs	488	Occlusal Spray	519
Chucks	489	Scanning Spray	519
Cleaning Materials	489	Plasters	520
Casting Machine Crucibles	490	Pliers	521
Debubbliser	491	Polishing	524
Design Service	491	Pumice	526
Die Stones	492	Safety Wear	527
Disinfectants	493	Saw Blades & Frames	528
Duplicating Flasks	494	Scalpels	529
Duplicating Gel/Agar	494	Separators	529
Equipment Bags & Filters	495	Shade Guides	531
Face Masks	496	Silicone Putty	532
Forceps & Scissors	496	Duplicating Silicone	533
Formers	497	Duplicating Silicone Flask	533
Gas Refills	497	Solder/Welding	534
Gauges & Dividers	498	Troughs	536
Gloves	499	Ultrasonic Solutions	536
Acrylic Hand Tools	500	Varnish	537

## Abrasive Paper

### EMERY CLOTH

Code	Description	Size
38140-015-00	Fine	25m
38140-016-00	Very Fine	25m

### WET & DRY SANDPAPER

**Code:** 01SPWD **Pack:** 5pcs



## Adhesives

### CENTRI™ GLUE

Medium viscosity general-purpose glue.

**Code:** 07LAP **Size:** 20g

### CENTRI™ ACTIVATOR

Hugely popular mist based activator in an anti-clogging spray can.

**Code:** 07ZAP **Size:** 200ml

### CENTRI™ DEBONDER

Used to dissolve cyanoacrylates.

**Code:** 07CDB **Size:** 20ml

### RENFERT LIQUICOL

Extremely low viscosity cyanoacrylate for sealing plaster models and attaching disposable articulators.

**Code:** 87R17320020 **Size:** 2 x 20g



## Adhesives

### VERSAGLUE

High quality cyanoacrylates suitable for stone, metals, ceramics and resins.

Code	Description	Size
HPD2025	PX-4 Thin	28g
HPD2026	PX-40 Medium	28g
HPD2027	PX-400 Thick	28g



## Aftercare

### NITRADINE®

Most removable dental appliances are made from porous materials in which opportunistic and pathogenic microorganisms (fungi, bacteria and viruses) infiltrate, attach and form biofilm, a three-dimensional protective matrix in which they build-up. Candida albicans in particular deeply penetrates the pores and cracks of the dental appliance. Also other pathological microorganisms such as Pseudomonas aeruginosa, Streptococcus mutans, Staphylococcus aureus (inc. MRSA) and Herpes simplex can attach to and colonise the appliance which leads to painful irritation of the oral cavity (denture stomatitis).



Elderly, diabetic, transplant and cancer therapy patients wearing contaminated appliances can develop serious systemic infection of the upper airways. Clinical trials have shown that Nitradine® tablets result in a 99.995% bio-film reduction. Nitradine® contains no bleach

and will not discolour retainers or aligners, in fact removing the Candida albicans and bacteria will restore the clarity of the device. Designed to be used once or twice a week alongside an existing hygiene routine.

**Code:** 01NUT20 **Pack:** 20pcs

## Aftercare

### NITRADINE® SHINE

With its "anti-biofilm" formula, Nitradine® Shine has been specially formulated to clean, whiten, refresh and polish removable dental appliances. Designed to be used on a daily basis and should ideally be used in conjunction with Nitradine® Tablets. Nitradine® Shine will not corrode,

discolour or distort the appliance in any way and is ideal for cleaning orthodontic appliances, dentures, bleaching trays, mouthguards and all dental appliances.



Code: 01NS

Size: 45g

### EXPRESS DENTURE TABLETS

Our professional effervescent denture cleanser tablets are simple, efficient and easy to use. The combination of the active ingredients removes plaque, impurities, food remains, nicotine, tea, coffee and other stains.



Code: 01PNT

Pack: 32pcs

### SILICONE TOOTHBRUSH

Nonabrasive toothbrush with soft silicone bristles specifically made for dentures and flexible dentures.

Code: 01STB



### ORTHO BRUSH

Orthodontic toothbrush ideal for cleaning interproximal areas, fixed brackets and banded appliances.

Code: 38163-300-00

Pack: 10pcs



## Aftercare

### CENTRI™ AFTERCARE

Introductory aftercare kits for either acrylic or flexible dentures.

**Centri™ 5** (acrylic - 5 weeks) kit contains: display box, denture box, silicone toothbrush, Nitradine®, Nitradine® Shine, Express Denture Tablets and booklet

Code: 60C5CP



**Centri™ 8** (flexibles - 8 weeks) kit contains: display box, denture box, silicone toothbrush, Nitradine®, Nitradine® Shine, TCS® Fresh Denture Cleaner and booklet

Code: 60C8CP

### TCS® FRESH DENTURE CLEANER

Specifically formulated for use with TCS® and other flexible appliances. Each box contains a 6 month supply.

Code: 01TCSDC24

Pack: 24pcs



## Aprons

### DENTAL BIBS

Blue clinical bib with velcro type fastening - one size.



Code: 01DB

### DISPOSABLE APRONS

White polythene disposable aprons.



Code: 01DDA

Pack: 100pcs

## Articulating Paper

### DETEX™

Code	Description	Pack	Size
o1DAP	Blue - double sided	144pcs	40μ



### BAUSCH STRIPS (WITH DISPENSER)

Code	Description	Pack	Size
BK01	Blue	300pcs	200μ
BK02	Red	300pcs	200μ



### BAUSCH REFILL STRIPS

Code	Description	Pack	Size
BK1001	Blue - for BK01	300pcs	200μ
BK1002	Red - for BK02	300pcs	200μ



### BAUSCH BLUE BOOKLET

Code	Description	Pack	Size
BK05	Blue - for BK01	300pcs	200μ



### BAUSCH HORSESHOE

Code	Description	Pack	Size
BK03	Blue	50pcs	200μ
BK04	Red	50pcs	200μ



### BAUSCH ARTI-CHECK® (WITH DISPENSER)

Code	Description	Size	Dimensions
BK13	Blue - 15m	40μ	16mm
BK14	Red - 15m	40μ	16mm
BK15	Blue - 10m	40μ	22mm
BK16	Red - 10m	40μ	22mm



## Articulating Paper

### BAUSCH ARTI-CHECK® REFILL BOX

Code	Description	Size	Dimensions
BK1013	Blue - 15m	40μ	16mm
BK1014	Red - 15m	40μ	16mm
BK1015	Blue - 10m	40μ	22mm
BK1016	Red - 10m	40μ	22mm



### BAUSCH ARTI-CHECK® BOOKLET

Code	Description	Pack	Size
BK09	Blue	200pcs	40μ
BK10	Red	200pcs	40μ



### BAUSCH ARTI-CHECK® HORSESHOE

Code	Description	Pack	Size
BK17	Blue	150pcs	40μ
BK18	Red	150pcs	40μ



### BAUSCH ARTI-CHECK® PRE CUT STRIPS

Code	Description	Pack	Size
BK61	Blue	200pcs	40μ
BK62	Red	200pcs	40μ
BK63	Blue/Red	200pcs	40μ



### BAUSCH ARTI-CHECK® PRE CUT STRIPS BOOKLET

Code	Description	Pack	Size
BK80	Blue/Red	200pcs	40μ



### BAUSCH ARTI-CHECK® PRE CUT STRIPS HORSESHOE

Code	Description	Pack	Size
BK81	Blue/Red	150pcs	40μ



# Articulating Paper

## BAUSCH SILK RIBBON

Code	Description	Size	Dimensions
BK877	Blue - 3m	80µ	80mm
BK06	Red - 3m	80µ	80mm
BK876	Green - 3m	80µ	80mm
BK07	Blue - 10m	80µ	16mm
BK08	Red - 10m	80µ	16mm



## BAUSCH ARTI-FOL® PLASTIC SINGLE SIDED

Code	Description	Size	Dimensions
BK23	Blue - 20m	8µ	22mm
BK21	Red - 20m	8µ	22mm



## BAUSCH ARTI-FOL® METALLIC SINGLE SIDED

Code	Description	Size	Dimensions
BK33	Blue - 20m	12µ	22mm
BK31	Red - 20m	12µ	22mm
BK32	Green - 20m	12µ	22mm
BK30	Black - 20m	12µ	22mm



## BAUSCH ARTI-FOL® PLASTIC DOUBLE SIDED

Code	Description	Size	Dimensions
BK27	Blue - 20m	8µ	22mm
BK25	Red - 20m	8µ	22mm



## BAUSCH ARTI-FOL® METALLIC DOUBLE SIDED

Code	Description	Size	Dimensions
BK28	Black/Red - 20m	12µ	22mm



# Artex® Articulators

Lightweight, stable, ergonomic and very precise – the artex® articulators facilitate and accelerate work on the model. Due to their reliability and competitive pricing, the artex® articulators are among the most popular worldwide.

	Arcon		Non-Arcon		
	artex® cr AG218760	artex® cpr AG218750	artex® ct AG217320	artex® cn AG217310	artex® bn AG217360
<b>SCI (Sagittal Condylar Inclination)</b>	-20° to +60°	-20° to +60°	-15° to +60°	35°	35°
<b>Bennett Angle (HCI)</b>	-5° to +30°	-5° to +30°	0° to +20°	0° to +20°	15°
<b>Protrusion</b>	0 to 6mm	-	-	-	-
<b>Retrusion</b>	0 to 2mm	0 to 2mm	-	-	-
<b>ISS (Immediate Sideshift)</b>	0 to 1.5mm (per side)	-	-	-	-
<b>Distraction</b>	0 to 3mm	0 to 3mm	-	-	-
<b>Centric Design</b>	Centric Lever for Semi-Axes	Centric Lever for Semi-Axes	Centric Click	Centric Click	Centric Click
<b>Mounting Type</b>	Arcon Clip	Arcon Clip	Centric Plate	Centric Plate	Centric Plate



ARTEX® CR



ARTEX® CPR



ARTEX® CT



ARTEX® CN




ARTEX® BN

## Artex® Consumables

### SPLITEX® PLATE SET

Complete set to splitex® your artex® articulator.



**Code:** AG216100C

### SPLITEX® KEY

Calibration key to ensure that the correct height of 126mm is achieved when splitexing.



**Code:** AG216010C

### SPLITEX® COUNTER PLATES

1.5 x 36.5mmø



Code	Description	Pack
AG216230	Premium White	10pcs
AG216235	Classic Black	100pcs
AG216150	Retention Disks	100pcs

### SPLITEX® MOUNTING GLUE & ACTIVATOR

Specialist glue and activator to be used when splitexing an artex® articulator.

Code	Size
IN10-045	50ml

### SPLITEX® DEBONDER

To debond the splitex plate from the articulator.

Code	Size
AG513120	150ml

### ARTEX® MODEL PLATES



Code	Pack
AG217331	50pcs

### RETENTION DISKS



Code	Pack
AG217250	100pcs

### ARTEX® TRANSFER STAND

For safe transportation of the artex® facebow registration details between practice and laboratory.



**Code:** AG218670C

### ARTEX® TRANSFER TABLE

The detachable part of the transfer stand, multiples of these can be used in conjunction with only one facebow and transfer stand.



**Code:** AG216270

## Artex® Consumables

### ARTIFIX®

Articulating plaster.

Code	Size
AG711217	20kg



### ARTEX® FACEBOW

For anatomically correct fixation of the cranial-axis relationship.


- ▶ Cranium-axis relation is determined to the patient's anatomy in just two minutes
- ▶ Quick and secure adjustment of the 3D universal joint



**Code:** AG218600

### ARTEX® FACEBOW CONSUMABLES

Code	Description	Pack	No.
AG216150	Bite Tabs	180pcs	1
AG217650	artex® Quickbite	10pcs	2
AG217611	Bite Fork	2pcs	3



## Basic Articulators

### ASA ARTICULATOR 5000

Perfectly stable, lightweight articulator that is centrally fixed with easy access and view of lingual surfaces.

**Code:** 05ASAA



### ASA ARTICULATOR PLATE

Code	Pack
05ASAAP	1pc

### ASA BEARING ROD

Code	Pack
05ASABR	1pc

## Basic Articulators

### DELUXE ARTICULATOR

Economic articulator with lateral movement.



Code: 39DART

### ARTICULATOR FIG.12

Plain line, gunmetal articulator.



Code: 23AF12

## Disposable Articulators

### BLUE LINE DISPOSABLE ARTICULATORS

Code	Pack
03CDA	25pcs



### EXCELMUM DISPOSABLE ARTICULATORS

For use with both flat and slot tray systems.

Code	Pack
51EXDA	100pcs



## Magnetic Articulators

### LUXURY DELUXE ARTICULATOR

This magnetic articulator is comprised of two steel mounting magnetic plates, a curved plate, a flat plate, long incisal and central pins. The mounting backing is Teflon coated for ease of cleaning and removal.

Code: 05ALFP



### MAGNETIC MOUNTING PLATES

Code: 05PMMP Pack: 2pcs

## Magnetic Articulators

### DELUXE MAGNETIC ARTIC

With magnetic split casting to ensure easy removal and exact settings of models, this articulator represents excellent value. It is completely interchangeable, lightweight and Teflon coated. The articulator is also available with an incisal pin for use with denture production.

Code	Description
05LANP	Without pin
05LA	With pin

### DELUXE MAGNETS

Code: 05DAM Pack: 4pcs

### DELUXE SPARE DISCS

Code: 05DASD Pack: 1pc



## Plasterless Articulators

### GALETTI ARTICULATOR

Constructed from a metal alloy cast, ensuring high precision and an excellent finish. This plasterless articulator provides easy, speedy and firm grasps of models of any size. This articulator is easily separated to form two different stable working bases. The hinge axis with bilateral motion gives the capability for anterior, posterior and lateral movements to show natural movements. No additional plaster work or accessories are required to use the Galetti and it is easy to clean and maintain.

Code: 39GAL



### TENSION BOLT FOR GALETTI ARTICULATOR

Code: 39GATB

### ARTEX® NOPLAST

Converts your non-splitexed artex® articulator into a plasterless version.

Code: AG217480C



## Blast Media

### RENFERT COBRA

Extremely pure (99.7% Al<sub>2</sub>O<sub>3</sub>), sharp-edged aluminium oxide abrasive. Supplied in hermetically sealed containers to aid longevity and integrity of the medium.

Code	Description	Size
87R15941105	White 25µm	5kg
87R15941205	White 50µm	5kg
87R15941112	White 50µm	12.5kg
87R15841005	White 90µm	5kg
87R15831005	White 110µm	5kg
87R15831012	White 110µm	12.5kg
87R15871005	Pink 125µm	5kg
87R15871012	Pink 125µm	12.5kg
87R15851005	White 250µm	5kg
87R15851012	White 250µm	12.5kg



### RENFERT ROLLOBLAST

Premium nonabrasive glass beads for use with precious and non-precious alloys to provide a guaranteed matt finish. Supplied in hermetically sealed containers to aid longevity and integrity of the medium.

Code	Description	Size
87R15941305	50µm (170–100 mesh)	5kg
87R15942312	50µm (170–100 mesh)	12.5kg
87R15891005	100µm (400–200 mesh)	5kg



### GLASS BEADS

Grade specific glass beads available in a range of grits.

Code	Description	Size
54GB120	M12	25kg
54GB60	M60	25kg

### BROWN ALI OXIDE UV70

Long life coarse abrasive medium for use on chrome cobalt.

Code: 54BA070	Size: 25kg
---------------	------------



## Blast Media

### STAGE1 CHROME BLASTING GRIT 60/80

Coarse and effective blast medium.

Code: 62GSBG	Size: 25kg
--------------	------------



### PURE WHITE ALUMINA

Grade specific pure white alumina available in a range of grits and sizes.

Code	Description	Size
54WAO25	M25	25kg
54WAO258KG	M25	8kg
54WAO50	M50	25kg
54WAO508KG	M50	8kg
54WAO100	M100	25kg
54WAO1008KG	M100	8kg
54WAO250	M250	25kg
54WAO2508KG	M250	8kg

## Blocking Out & Undercuts

### SCHULER S-U BLOCKING OUT WAX

Semi-transparent pink wax that is easy to use and carve. Removes cleanly and easily with steam.

Code: SC6004201	Size: 45g
-----------------	-----------



### BLOCKING OUT WAX

Pink opaque blocking out wax that is easy to carve and sculpt, with outstanding temperature resistance.

Code: 38110-310-00	Size: 50g
--------------------	-----------



### EUKAMED UNDERCUT WAX

Pink block out wax that is easy to use and smear resistant.

Code: 01UCW	Size: 70g
-------------	-----------



## Blocking Out & Undercuts

### RENFERT GEO CLASSIC CERVICAL & UNDERCUT WAX

Soft, slightly elastic, tension free wax that can be used for full pressable ceramics or traditional techniques and will burn out cleanly.

Code: 87R4891000

Size: 75g



### EXCELUM YELLEX

Yellow, wax based putty for blocking out undercuts. Easy to adapt and removes cleanly.

Code: 51YLY

Size: 650g



### ARROW GEL GREEN

Light cure resin that burns out without residue and is easy to carve and add to. Suitable for blocking out.

Code: 59AGG

Size: 3g



### RENFERT STABILOPLAST RESIN

General purpose resin for fixing, stabilising, connecting and blocking out.

Code: 87R4480003

Size: 2 x 10g



### HARVEST ZBASE

Flows and contours like wax, this exceptional quality blocking out material also burns out without residue.

Code	Description	Size
HPD2150	Gel die blocker	10g
HPD2151	Activator	60ml



## Blow Off Nozzles

### AIR BLOW GUN

Max supply pressure 10 bar/140 ibf/in<sup>2</sup> - Connection Rp 1/4 female air flow 9 cfm/L/min.



Code: IN10-010

### SCHICK AIR PUFFER

Instant air controlled by a foot pedal, the Air Puffer can be mounted anywhere and is the perfect partner for your micromotor. Complete with connection block with articulated hose, foot switch and two connecting cables. Input pressure 3-6 bar.



Code: 99SCH4400

## Bowls

### SILICONE PLASTER BOWL

Code	Description	Size
05PBS	Small	110ø x 75mm
05PBM	Medium	125ø x 90mm
05PBL	Large	140ø x 110mm
05PBXL	Extra Large	165ø x 155mm



### DAPPEN SILICONE POTS

Code	Description	Size
04ETBS	Small	15ml
04ETBM	Medium	25ml
04ETBL	Large	65ml



### DAPPEN GLASS POTS

Code	Dimensions
01DMP	24ø x 33mm



# Kolinsky Brushes

## STANDARD KOLINSKY

Good quality, economic kolinsky brush range.

Code	Description	Pack
64CBK0	#0	1pc
64CBK1	#1	1pc
64CBK4	#4	1pc
64CBK6	#6	1pc
64CBK8	#8	1pc



## PURABRUSH

Premium kolinsky brush with defined, sharply pointed tips and balanced aluminium handle. Magnetic quick-change tip system that is compatible with screw on systems from other manufacturers.

Code	Description	Pack
HPD203-0002	#2	1pc
HPD203-0004	#4	1pc
HPD203-0006	#6	1pc
HPD203-0008	#8	1pc
HPD203-0009	Stain	1pc
HPD203-0010	Opaque	1pc
HPD203-1002	Tip #2	2pcs
HPD203-1004	Tip #4	2pcs
HPD203-1006	Tip #6	2pcs
HPD203-1008	Tip #8	2pcs
HPD203-1009	Tip Stain	2pcs
HPD203-1010	Tip Opaque	2pcs
HPD203-2000	4 in 1 Kit (PURAbbrush #8 + Tip #6 + Tip #4 + Tip #2)	4pcs
HPD203-2002	Master Kit #2 (PURAbbrush #2 + PURAbbrush stain + PURAbbrush opaque)	3pcs
HPD203-2004	Master Kit #4 (PURAbbrush #4 + PURAbbrush stain + PURAbbrush opaque)	3pcs
HPD203-2006	Master Kit #6 (PURAbbrush #6 + PURAbbrush stain + PURAbbrush opaque)	3pcs
HPD203-2008	Master Kit #8 (PURAbbrush #8 + PURAbbrush stain + PURAbbrush opaque)	3pcs



# Kolinsky Brushes

## FUSIONBRUSH

Premium kolinsky brush with synthetic fibre reinforcement. Enhances the stability of the pure kolinsky tip, mounted on a balanced aluminium handle. Magnetic quick-change tip system that is compatible with screw on systems from other manufacturers.

Code	Description	Pack
HPD204-0002	#2	1pc
HPD204-0004	#4	1pc
HPD204-0006	#6	1pc
HPD204-0008	#8	1pc
HPD204-0009	Stain	1pc
HPD204-0010	Opaque	1pc
HPD204-1002	Tip #2	2pcs
HPD204-1004	Tip #4	2pcs
HPD204-1006	Tip #6	2pcs
HPD204-1008	Tip #8	2pcs
HPD204-1009	Tip Stain	2pcs
HPD204-1010	Tip Opaque	2pcs
HPD204-2000	4 in 1 Kit (PURAbbrush #8 + Tip #6 + Tip #4 + Tip #2)	4pcs
HPD204-2002	Master Kit #2 (FUSIONbrush #2 + FUSIONbrush stain + FUSIONbrush opaque)	3pcs
HPD204-2004	Master Kit #4 (FUSIONbrush #4 + FUSIONbrush stain + FUSIONbrush opaque)	3pcs
HPD204-2006	Master Kit #6 (FUSIONbrush #6 + FUSIONbrush stain + FUSIONbrush opaque)	3pcs
HPD204-2008	Master Kit #8 (FUSIONbrush #8 + FUSIONbrush stain + FUSIONbrush opaque)	3pcs



## Kolinsky Brushes

### RENFERT LAY:ART STYLE

Premium quality natural bristle brush with two different types of tip. **Bold** for larger amounts of porcelain and **Slim** for delicate build up work.

Code	Description	Pack
87R17250002	#2	2pcs
87R17250004	#4 Slim	1pc
87R17250006	#6 Slim	1pc
87R17250008	#8 Slim	1pc
87R17250014	#4 Bold	1pc
87R17250016	#6 Bold	1pc
87R17250018	#8 Bold	1pc
87R17250000	Stain	2pcs
87R17250001	Opaque	2pcs

For more information about the complete range of kolinsky brushes, please contact us.



## Synthetic Brushes

### RENFERT TAKANISHI

Ever popular synthetic bristle brush.

Code	Description	Pack
87R17140001	#1	2pcs
87R17140002	#2	2pcs
87R17140004	#4	2pcs
87R17140006	#6	2pcs
87R17140008	#8	2pcs
87R17140200	Opaque	2pcs



## Synthetic Brushes

### NYLOBRUSH

Hybrid synthetic brush with large water reservoir and stable tip. Magnetic quick-change tip system that is compatible with screw on systems from other manufacturers.

Code	Description	Pack
HPD210-0002	#2	1pc
HPD210-0004	#4	1pc
HPD210-0006	#6	1pc
HPD210-0008	#8	1pc
HPD210-0009	Stain	1pc
HPD210-0010	Opaque	1pc
HPD210-1002	Tip #2	2pcs
HPD210-1004	Tip #4	2pcs
HPD210-1006	Tip #6	2pcs
HPD210-1008	Tip #8	2pcs
HPD210-1009	Tip Stain	2pcs
HPD210-1010	Tip Opaque	2pcs
HPD210-2000	4 in 1 Kit (NYLObrush #8 + Tip #6 + Tip #4 + Tip #2)	4pcs
HPD210-2002	Master Kit #2 (NYLObrush #2 + NYLObrush stain + NYLObrush opaque)	3pcs
HPD210-2004	Master Kit #4 (NYLObrush #4 + NYLObrush stain + NYLObrush opaque)	3pcs
HPD210-2006	Master Kit #6 (NYLObrush #6 + NYLObrush stain + NYLObrush opaque)	3pcs
HPD210-2008	Master Kit #8 (NYLObrush #8 + NYLObrush stain + NYLObrush opaque)	3pcs

For more information about the complete range of synthetic brushes, please contact us.



## General Brushes

### WASHOUT BRUSH

Code: 39WAB



### PLASTER COATING BRUSH

Code: 02PLC4



## Bunsen Burners

### WITH PILOT LIGHT



Code	Description
07RBPB	Bottle gas
07RBPN	Natural gas

### WITHOUT PILOT LIGHT



Code	Description
04LBBB	Bottle gas
04LBBN	Natural gas

### RENFERT BIJOU

Famous angled Bunsen burner with two riser tubes to adjust the flame intensity.



Code	Description
87R960000	Bottle gas
87R961000	Natural gas

### RENFERT SAFETY BURNER ECO

Single tube safety burner with automatic gas shut off if flame is extinguished unintentionally.



Code	Description
87R9340100	Bottle gas
87R9350100	Natural gas

## Bunsen Burner Accessories

### GAS TAPS

Suitable for use with bottle and natural gas, supplied with fittings for natural gas.

For bottle gas users please purchase Ref: 01BGF38 as well.



Code	Description
01CGTD38	Double Gas Tap 3/8"
01CGTS38	Single Gas Tap 3/8"

### BUNSEN BURNER HOSE

Flexible rubber hose - supplied per 305mm.



Code: 01BBH

### GAS TAP FITTING

Converts the gas tap so that it can be used with bottle gas.



Code: 01BGF38

### GAS TAP HOSE

Reinforced hose - supplied per 1,000mm.



Code: 01GTH

### GAS TAP HOSE CLIP



Code: 01GTHC

### BUTANE REFILL BOTTLE

For use with all refillable heating devices.



Code: 01UBR Size: 300mL

## Bunsen Burner Refillable Devices

### STRAIGHT HEADED BUNSEN BURNER



Code: 01LBS

### TILT HEADED BUNSEN BURNER



Code: 01LBT

### GENUINE REKROW MICROTORCH



Code: 05PMT

### GENUINE REKROW HOT AIR TORCH



Code: 01TCSHG

## Casting Tongs

### RING TONGS

For small and large casting rings.



Code: 38127-400-00

Size: 560mm

### MODEL & CASTING RING TONGS

Holds 1X, 3X or 6X rings.



Code: 38127-410-00

Size: 360mm

## Chucks

### STONE 9MMØ

Beryl stone chuck suitable for Faro, Omece and Gamberini.



Code	Description
05BSCL	Left hand
05BSCR	Right hand

### BRUSH 9MMØ

Omece brush chuck suitable for Handler, Omece and Gamberini.



Code	Description
60OBCL	Left hand
60OBCR	Right hand

### BRUSH 10MMØ

Carlo De Giorgi brush chuck.



Code	Description
05CSCL	Left hand
05CSCR	Right hand

### STRAIGHT BRUSH 11MMØ

Straight fit brush chuck for Derotor.



Code	Description
05CSCL-GS	Left hand
05CSCR-GS	Right hand

### BRUSH 11MMØ

Silfradent brush chuck.



Code	Description
05PSCL	Left hand
05PSCR	Right hand

### BRUSH 12MMØ

Straight fit brush chuck for Kavo.



Code	Description
05KBCL	Left hand
05KBCR	Right hand

## Cleaning Materials

### MULTEX

General purpose concentrated liquid detergent.

Code: 01ML

Size: 5ltr

### HAND TOWELS

Centre feed hand towel.

Code	Description	Pack
01PHT	Paper towel	6pcs
01PHTD	Dispenser	1pc

## Casting Machine Crucibles



**DUCATRON JUNIOR**

Code: 05DMC



**DUCATRON SERIES 3**

Code: 05DMCN



**FORNAX®**

Code: 05FTC



**NESOR E4 DEEP**

Code: 05NCD



**NESOR E4 SHALLOW**

Code: 05NCS



**NESOR TYPE A**

Code: 05NCL



**DEGUSSA UNIVERSAL**

Code: 05DCU



**FUSUS LONG LIFE TYPE 72**

Code: 05F72CL



**MANFREDI LONG LIFE**

Code: 05MFC



**MEGAPULS CRUCIBLE**

Long life crucible suitable for CoCr, NiCr and Pd alloys.

Code: 38090-611-00



**MEGAPULS CRUCIBLE GRAPHITE INSERT**

Graphite insert for use with precious metals.

Code: 38090-615-00

## Debubbliser

### CENTRI™ DB

Surface tension reducing agent for wax, silicone, impression materials and plaster. Supplied with fine misting spray bottle.

Code	Size
44HSDB	900ml



### HARVEST SURFACTANT™

For bubble free models and casts, Surfactant™ reduces surface tension on wax, alginate/impressions and Polyether (i.e. Impregum™). The fine mist does not require drying time and allows gypsum and investment to flow smoothly into all areas. Non-contaminating and alcohol free.

Code	Description	Size
HPD7061	Refill Bottle (includes empty 236ml trigger spray bottle)	946ml
HPD7060	Trigger Spray Bottle	236ml



## Design Service



**STAND OUT FROM THE CROWD**

with our complete logo and design service



## Die Stones

### ULTRAROCK

Premium extra hard die stone, with high definition and excellent dimensional stability.

Type	Class IV
Mixing ratio	20ml/100g
Expansion	0.08%
Strength (24hrs)	900kg/cm <sup>2</sup>

Code	Description	Size
83KBURB25	Beige	25kg
83KBURB5	Beige	5kg
83KBURP25	Pink	25kg
83KBURP5	Pink	5kg
83KBURVY25	Vivid Yellow	25kg
83KBURVY5	Vivid Yellow	5kg



### SINGLETYP04® LG

Exceptional quality, scannable, extra hard die stone with high definition and good dimensional stability.

Type	Class IV
Mixing ratio	22ml/100g
Expansion	0.09%
Strength (24hrs)	1051kg/cm <sup>2</sup>

Code	Description	Size
66TXG425	Light Grey	25kg



### SINGLETYP04® GB

Exceptional quality, scannable, extra hard die stone with high definition and good dimensional stability.

Type	Class IV
Mixing ratio	20ml/100g
Expansion	0.08%
Strength (24hrs)	860kg/cm <sup>2</sup>

Code	Description	Size
66TXE425	Golden Brown	25kg



## Die Stones

### MODELTYPO®

Outstanding value, hard die stone with high definition and excellent dimensional stability.

Type	Class IV
Mixing ratio	25ml/100g
Expansion	0.08%
Strength (24hrs)	713kg/cm <sup>2</sup>

Code	Description	Size
66TPM425	Pink	25kg



### ORTOTYP04®

Pure white, extra hard orthodontic stone.

Type	Class IV
Mixing ratio	22ml/100g
Expansion	0.08%
Strength (24hrs)	1051kg/cm <sup>2</sup>

Code	Description	Size
66OS4	White	25kg



## Disinfectants

### WHW SURFACE DISINFECTANT

WHW's broad spectrum, alcohol free surface disinfectant has been specially formulated for use in the medical and dental environment on non-invasive medical devices. It is safe to use on surfaces sensitive to alcohol and effective against a wide range of organisms.



Code: 100WHWAFSD

Size: 500ml

### WHW IMPRESSION DISINFECTANT

A ready to use disinfectant for the disinfection of alginates, silicones, polyether and plaster impressions. WHW's Impression Disinfectant Spray is aldehyde free and fast acting, with full efficacy achieved within five minutes.



Code: 100WHWID

Size: 500ml

## Duplicating Flasks

### RAY FOSTER DUPLICATING FLASK

Metal duplicating flask.

Code: 05DFB Size: 68 x 100 x 80mm

### PLASTIC DUPLICATING FLASK

Suitable for use with Agar-Agar/duplicating gels.

Code: 51PDF Size: 65 x 100 x 90mm



## Duplicating Gel/Agar

### DENTSPLY SIRONA POLYFLEX®

Highest quality universal duplicating gel with properties comparable to silicone. Tear resistant with incredibly high definition.

Code: 95H5525300195 Size: 7.5kg

### DUBLITOP®

Exceptional quality duplicating gel with extremely high tear resistance and detail reproduction. Typical amount of reuses - 25. Light blue - not suitable for plaster models.

Code: 38108-610-00 Size: 5kg

### DUPLIKAT

Top quality duplicating gel with very high tear resistance and detail reproduction. Typical amount of reuses - 20. Yellow - not suitable for plaster models.

Code: 38108-600-00 Size: 6kg



## Duplicating Gel/Agar

### DUBLIFORM

Time-tested duplicating gel with high tear resistance and detail reproduction. Typical amount of reuses - 15. Orange - suitable for use in the microwave but not suitable for plaster models.

Code: 38108-500-00 Size: 6kg

### DUBLIPLAST®

Universal duplicating gel with high tear resistance and detail reproduction. Typical amount of reuses - 15. Violet - suitable for plaster models

Code: 38165-500-00 Size: 5kg



## Equipment Bags & Filters

### WHW BOILOUT FILTERS

Replaceable filters for our boiling out machines.

Code	Pack
01BP	10pcs

### WHW DUST DRAWER HIGH EFFICIENCY BAG & PAD

Includes three filter bags and three filter pads.

Code	Pack
01HEF	6pcs

### WHW DUST DRAWER PRECIOUS METAL FILTER

Code	Pack
01DEDGF	1pc

### IEU BENCH TOP POLISHING UNIT DUST BAGS

Code	Pack
01IEUFB	2pcs

### IEU BENCH TOP POLISHING UNIT FILTER PADS

Code	Pack
01IEUFP	2pcs

### CERAMILL® COOLSTREAM FILTER BAG

Code	Pack
AG179256	2pcs

### RENFERT SILENT TS2 DUST BAGS

For use with Renfert Silent TS or Silent TS2.

Code	Pack
87R29210002	5pcs

### RENFERT VORTEX DUST BAGS

Code	Pack
87R29245003	5pcs

### DUST BUSTER MICROFIBRE BAG

Code	Pack
21DBFB	5pcs

## Face Masks

### EAR LOOP MASKS



Code	Pack
10ELM	50pcs

### TIE ON FACE MASKS



Code	Pack
10TOM	50pcs

### JSP® P2V

Valved, general purpose face masks for dust and debris.



Code	Pack
45MP2	10pcs

### JSP® P3V

Valved, charcoal filtered face masks for high risk hazardous materials.



Code	Pack
45MP3	10pcs

## Forceps & Scissors

### FOIL SCISSORS

Used to precisely cut excess material from soft forming's.



Code	Size
33FC	110mm

### CLAMPING TWEEZERS



Code	Description	Size
33CTS	Straight	125mm
33CTC	Curved	125mm

## Forceps & Scissors

### TWEEZERS



Code	Description	Size
33CT7	Straight	155mm
33CT9	Curved	150mm

### KERAMOGRIP

Diamond tipped crown holders.



Code: 87R11090300

### CROWN FORCEPS

Heat resistant up to 200°C.



Code: 38260-300-02

## Formers

### RUBBER FORMERS

High quality rubber formers in a variety of sizes.

Code	Description	Pack	Dimensions
07RFUL	Upper Large	1pc	20 x 90 x 65mm
07RFUXL	Upper X-Large	1pc	20 x 95 x 75mm
07RFL	Lower Large	1pc	20 x 90 x 65mm
07RFLXL	Lower X-Large	1pc	20 x 95 x 75mm



## Gas Refills

### BUTANE CYLINDER



Code	Size
32BC	70ml

### BUTANE REFILL BOTTLE

For use with all refillable heating devices.



Code	Size
01UBR	300ml

### OXYGEN CYLINDER



Code	Size
32OC	100ml

# Gauges & Dividers

## DIVIDERS



Code	Description
04DI4	4"
04DI6	6"

## IWANSON CALIPER



Code	Description
33IC	For metal
33ICR	For wax

## ALMA BITE GAUGE

Used to determine and prescribe the correct vertical dimension of new and replacement dentures.



Code: 79ABG

## CALIPRETTO CR

Precision calipers for measuring the wall thickness for full ceramic restorations.



Code: 87R11231000

# Gloves

## NITRILE

Code	Description	Size
35NGXS	Extra small	100pcs
35NGS	Small	100pcs
35NGM	Medium	100pcs
35NGL	Large	100pcs
35NGXL	Extra large	100pcs



## LATEX

Code	Description	Size
35HLGM	Medium	100pcs
35HLGL	Large	100pcs



## LATEX POWDER FREE

Code	Description	Size
35HLGSPF	Small	100pcs
35HLGMPF	Medium	100pcs
35HLGLPF	Large	100pcs



## HEAT RESISTANT GLOVES

Heat resistant gloves (not suitable for use with boiling out machines).

Code: 01TG



## RUBBER GLOVES

Heavy duty black rubber gloves, for use with boiling out machines.

Code: 01HDRG



## Acrylic Hand Tools

### BAK-FIN

Code	Description	Pack
04BFP6	Pen point trimmer blades	5pcs
04PPT	Handle	1pc



### WILLIAMS NO.9

Code: 07WAT



### MITCHELL NO.10

Code: 07MAT



For more information about our complete range of hand tools, please contact us.

## Ceramic Hand Tools


### GREENSTEIN

Code	Description
66CSIGR1G	Gold
66CSIGR2R	Red
66CSIGR3B	Blue
66ZFL081	Flexible tip #1
66ZFL082	Flexible tip #2
66ZFL083	Flexible tip #3
66ZFL071	Superflexible tip #1
66ZFL072	Superflexible tip #2
66ZFL073	Superflexible tip #3



### RENFERT ERGO CERAMIC

Code	Description
87R11611100	Instrument #1 has a large blade for separating and large claw for tooth modelling
87R11611200	Instrument #2 has a fine needle for creating fissures and enamel cracks and a small blade for detailed areas



## Ceramic Hand Tools

### AGATE SPATULA

Double ended agate mixing instrument for ceramic.

Code: 87R11570000



### PORCELAIN SCOOP

Two scoops with four different sizes, 0.02g, 0.05g, 0.1g and 0.4g.

vCode	Pack
87R10530000	2pcs



For more information about our complete range of hand tools, please contact us.

## Composite Hand Tools

### COMPOSITE BY NENA

Code	Description	Pack
HPD209-1001	Build up brush (tip only) for natural looking composite restorations	2pcs
HPD209-1002	Tattoo instrument (tip only) for internal and external structural adjustments, allowing for the opportunity of internal colour stain effects	2pcs
HPD209-1003	Ball instrument (tip only) creates aesthetically pleasing and natural looking gingiva structures and is also ideal for adjusting occlusal surfaces	2pcs
HPD209-1000	Composite kit includes all three instrument tips and handles	3pcs



For more information about our complete range of hand tools, please contact us.

## General Hand Tools

### ACRYLIC SPATULA



Code: 04528A

### FLEXIBLE SPATULA



Code: 66MSF

### HOLLOW GOUGE CHISEL



Code	Description
07HGB	Chisel
07WHC	Handle

### GRITMAN

Large modelling tool for wax, acrylic and ceramics.



Code: 66W/CG

## Plaster Hand Tools

### PLASTER KNIFE

Code	Description	No.
04532FO-PH	With flask opener and plastic handle	1
04532FO	With flask opener	2
04532	Standard	3
04532LB	Long blade	4



### PLASTER SPATULA

Code	Description	No.
04508-PH	Curved with plastic handle	1
04508	Curved	2
04508L	Long curved	3
66MSR	Rigid all metal	4
05PNS	Nylon	5



## Plaster Hand Tools

### CENTRI™ PLASTER SNIPS

Code: 05PS



For more information about our complete range of hand tools, please contact us.

## Wax Carvers

### ZAHLE WAX CARVER

Code	Description	No.
66ZFL9	Straight end	1
66ZLE	Curved end	2



### PK THOMAS

Code	Description
66PKT1V	Green
66PKT2G	Gold
66PKT3B	Blue
66PKT4R	Red
66PKT5A	Silver



### N0.5



Code: 04WC5

### LECRON



Code: 04WLC

### HYLIN LECRON



Code: 66ZFL002

For more information about our complete range of wax carvers, please contact us.

## Wax Knives

### SPOON END

Code	Description	No.
04601-PH	Large plastic handle	1
04601	Large wooden handle	2
04602	Small wooden handle	3



### SPOON BLADE

Code	Description	No.
04701	Large wooden handle	1
04702	Small wooden handle	2



### CURVED END

Code	Description	No.
04501-PH	Large plastic handle	1
04501	Large wooden handle	2
04502	Small wooden handle	3



## Hand Tool Kits

### INSTRUMENT SET DELUXE

Kit contains: rust proof tweezers, Sakura marking pen, Combi wax brush, small and large wax knives, ERGO Wax instruments No.1, No.3 and No.4, Multipurpose instrument (with blades), ERGO Acryl instrument kit (3 pieces), Takanishi brushes #4 and #6, soldering tweezers, slender Aderer clasp bending pliers, curved haemostats, plaster knife, standard calipers, grooved pointed pliers and foil scissors.



Code: 87R11540000

## Hand Tool Kits

### INSTRUMENT SET STANDARD

Kit contains: rust proof tweezers, Combi wax brush, small and large wax knives, ERGO Wax instruments No.1, No.3 and No.4, Multipurpose instrument (with blades), soldering tweezers, slender Aderer clasp bending pliers, plaster knife, standard calipers, grooved pointed pliers and foil scissors.



Code: 87R11510000

For a bespoke WHW student tool kit, please contact us.

## Hygiene

### DERMA SHIELD®

Derma Shield® moisturises, nurtures and protects your skin for four to five hours per application, irrespective of hand washing. It's non-greasy, hypoallergenic and breathable which means it will promote the natural regeneration of damaged skin.



Code	Size
69DSBC50	50ml

### PURELL®

Advanced hygienic hand rub that kills 99.99% of most common germs.



Code	Size
01GOJO	1ltr

### GOJO® DELUXE LOTION SOAP

Soap refill that contains vitamins A & E.



Code	Size
01GOJOHW	1ltr

### GOJO® DISPENSER



Code	Size
01GOJOD	

### SWARFEGA ORANGE

Removes oils, greases and general dirt.



Code	Size
01SWO	4ltr

## Impression Materials

### MILLENIUM®

Strawberry flavoured, class A type 1 alginate that is thixotropic and easy to mix. 30 second setting time, incredible definition and accuracy of 15 micron. Millenium® boasts a market leading dimensional stability of 168 hours.



Code	Size
66MA	450g

### ALGINELLE®

Mint flavoured, class A type 1 & 2 alginate that is thixotropic and easy to mix. 30 second setting time, incredible definition and accuracy of 20 micron. Like Millenium®, Alginelle® boasts a market leading dimensional stability of 168 hours.



Code	Size
66AA	450g

### ORTHALGENAT® DUO

Especially designed for orthodontic associated use.

Code	Description	Size
38150-501-30	Berry	1kg
38150-501-20	Mint	1kg



### HYDROGUM

Mint flavoured, fast setting alginate.

Code	Size
01HGUM	500g



### XANTALGIN®

Peppermint flavoured alginate for sensitive cases.

Code	Size
01XTN	500g



## Impression Materials

### SS WHITE IMPRESSION PASTE

Zinc oxide impression material.

Code	Size
07WIP	150g + 60g



### IMPREGUM™ F

Polyether impression material.

Code	Size
08IG	2 x 120ml + 2 x 15ml



## Silicone Impression Material

### GHENESYL

A new generation and highly accurate addition curing polyvinylsiloxane silicone. Highly tear resistant, with long working time but fast setting time. Very elastic and biocompatible, so it is suitable for all uses. Each pack includes 12 mixing tips.

Code	Description	Size
66GCRB	Regular body	2 x 50ml
66GCLB	Light body	2 x 50ml



### GHENESYL PUTTY

A new generation and highly accurate addition curing polyvinylsiloxane silicone. Soft and fast setting addition curing putty.

Code	Size
66GPS	2 x 300ml



### SILAXIL

Outstanding secondary impression material, with long working time and incredible dimensional stability.

Code	Description	Size
66SXLB	Light body	140ml
66SXRb	Regular body	140ml
66ENCAT	Enersyl catalyst	60ml



# Silicone Impression Material

## ORANWASH

Thixotropic silicone wash material for all secondary impressions.

Code	Description	Size
01OWL	Light body	140ml
01OWVL	Very light body	140ml
01OWA	Indurent gel activator	60ml



# Bite Registration

## OKLUREST

Polyvinylsiloxane silicone made for orthodontic bite registration, registration keys, intermaxillary registration keys for centred positions, eruptions and ectopic eruptions and registration for cephalometric analysis. Pack includes 12 mixing tips.

Code	Size
66OKT	2 x 50ml



# Mixing Tips

### YELLOW



Code	Pack
66GNS200	48pcs

### PINK



Code	Pack
66GNS250	48pcs

### LIGHT BLUE



Code	Pack
66XLG200	48pcs

### GREEN



Code	Pack
66GNS270	48pcs

### MEGABASE® MIXING TIPS

Code	Pack
D4970X2	40pcs

### MEGABASE® 2K LACQUER MIXING TIPS

Code	Pack
D4970X3	40pcs

# Impression Trays

## PREHMA

Extremely economic, rigid, plastic perforated disposable impression trays with sidewall retention slots and rim lock to reduce gagging.

Code	Description	Pack
3915-00110	#1 large upper	12pcs
3915-00210	#2 large lower	12pcs
3915-00310	#3 medium upper	12pcs
3915-00410	#4 medium lower	12pcs
3915-00510	#5 small upper	12pcs
3915-00610	#6 small lower	12pcs
3915-00710	#7 right upper/left lower	12pcs
3915-00810	#8 left upper/right lower	12pcs
3915-00910	#9 anterior	12pcs



## DENTAURUM 0-TRAY

Exceptional quality, deep walled impression trays that can be disinfected.

Code	Description	Pack
38150-204-00	#U4 Extra large upper (green)	20pcs
38150-224-00	#L4 Extra large lower (green)	20pcs
38150-203-00	#U3 Large upper (blue)	20pcs
38150-223-00	#L3 Large lower (blue)	20pcs
38150-202-00	#U2 Medium upper (red)	20pcs
38150-222-00	#L2 Medium lower (red)	20pcs
38150-201-00	#U1 Small upper (yellow)	20pcs
38150-221-00	#L1 Small lower (yellow)	20pcs



## HI-TRAY EDENTULOUS

Durable edentulous disposable trays.

Code	Description	Pack
01HTELU	Large upper	12pcs
01HTELL	Large lower	12pcs
01HTEMU	Medium upper	12pcs
01HTEML	Medium lower	12pcs
01HTESU	Small upper	12pcs
01HTESL	Small lower	12pcs



# Impression Trays

## BOSWORTH® BIG BITE TRAYS™

Disposable bite registration trays with plastic frames and gauze insert. Pack contains 25 x left and 25 x right.

Code	Pack
71C0921841	50pcs

For more information about our complete range of impression trays, please contact us.



# Impression Tray Consumables

## ALL CLEANER

Environmentally friendly, concentrated tray cleaner. Thanks to its biodegradable ingredients, All Cleaner has a neutral pH and can be used with or without an ultrasonic bath. It will quickly and efficiently remove alginate, plasters and cement.



Code	Size
66ACP	1ltr

## ORTHALGENAT® EX

Impression tray cleaner for removing plaster and alginate. Can be used as a concentrate or in an ultrasonic bath.



Code	Size
38150-010-00	1.5kg

## G.T.C.™

Oxygenating solution that will clean and brighten metal implements as well as removing alginates, zinc oxides, wax and eugenol pastes.



Code	Size
71C0921459	908g

## ORANGE SOLVENT

In a handy spray format.



Code	Size
01OSS	200ml

## TRAY-FIX

Tray adhesive in a handy spray format.



Code	Size
08CHSA	200ml

# Lab Software

## WHERE DID TRANSACTOR COME FROM?

Transactor started life as an application for booking jobs in and out, keeping a record of the work being processed through the labs; saving time and money on generating job slips using self-carbonating job pads and similar methods in the process. As a result of suggestions from our customers, features such as generating invoices, statements and allocating payments were added and from this, Transactor was born. The latest incarnation, a cloud service, provides the ability for electronic communication between the laboratory and the dental practitioner.



## WHY TRANSACTOR?

Our flagship V8 version of Transactor has desktop and cloud elements which allow the users ease of access and the ability for dentists and laboratories to track the jobs in real time, reducing phone time, overhead costs and general frustrations.

## TRAINING AND SUPPORT

The Transactor team have written and maintain extensive user guides, knowledge bases, training videos and supporting material. The team provides first class support via email, telephone and remote assistance.

## TRANSACTOR FEATURES

Transactor is driving simple laboratory software to even higher performance levels with its cloud integration and features such as:

- ▶ Cloud based communication
- ▶ Lab Ordering App for the dentist
- ▶ App for the lab for ease of access
- ▶ Online prescriptions
- ▶ Barcode system
- ▶ Advanced scheduling
- ▶ 24/7 online tracking
- ▶ Revenue increase
- ▶ Increased productivity
- ▶ Ease of use
- ▶ Backup facilities, which can be automated and sent to the cloud for secure, offsite storage
- ▶ Our commercial module creates compatible data exports to accounting packages such as Sage, Xero and QuickBooks

We listen to our customers! We work closely with you to adapt our products to match the changing requirements of GDPR and Data Protection.

regulatory, governance, quality and efficiency needs.

## OUR CUSTOMERS SAY

"Transactor desktop and cloud has really enhanced our business when it comes to communication. It is an amazing tool for communication between the laboratory and the dentist. It has streamlined our processes for getting the job into the lab and sending the job back to the practice. It allows us to send pictures, scans and any messages or comments on the jobs, thereby reducing the telephone calls between the lab and the dentists. It's instant messaging, which is all secure.



Everything is safe and best of all, all communication is in one place.

Transactor desktop and cloud reduces the time for booking jobs in and out, as the jobs come in pre-booked. The technician just needs to scan the paperwork and check the job; that's it, job booked in.

In the future I hope all surgeons and laboratories get to use this software, as it safeguards all communication, transactions and traceability of the work and products. It improves productivity and profitability."

- Chris Lyons (Director, Woodlands Dental Laboratory Ltd)

## Light Cure Trays

### MEGATRAY WAFERS

Disposable bite registration trays with plastic frames and gauze insert. Pack contains 25 x left and 25 x right.

Code	Description	Pack
05LCWB	Blue	50pcs
05LCWP	Pink	50pcs



## Magnification

### MEGAVIEW HEADLOUPE

Head loupe with 2x, 2.5x and 3x lenses.

Code: 39MVK



### RENFERT REMBERTI

Super lightweight and non-reflecting magnifying (1.5x) spectacles that are suitable for glasses wearers as well.

Code: 87R12620001



## Measuring

### MONOMER DISPENSING BOTTLE

Code: 01LDB

Size: 500ml



### BEURER KS600

For general use, these scales can weigh up to 5000g with an accuracy of 1g.

Code	Size	Dimensions
87R229175	685g	150 x 290 x 30mm



## Measuring

### NV-2000

For general use, these scales can weigh up to 2000g with an accuracy of 0.1g. Platform size 100 x 100mm.

Code	Size
39NV20	300g



### NV-500

For precision weighing, these scales can weigh up to 500g with an accuracy of 0.01g. Platform size 100 x 100mm.

Code	Size
39NV50	200g



## Miscellaneous

### ADEL INDELIBLE PENCIL

Code: 39MVK



### ARROW GEL RED

Light cure resin that burns out without residue and is easy to carve and add to. Suitable for attachments, parts of chrome frameworks and inlays & onlays.

Code: 59AGR

Size: 3g



### CENTRI™ GUN

Universal cartridge dispensing gun (1:1, 2:1, 4:1 and 10:1).

Code: 41CCG



## Miscellaneous

### BLOW PIPE



Code	Dimensions
04BPB	178mm

### CANAL CUTTER

Used to cut pour channels in agar or silicone.



Code
64CC

### CENTRI™ POLYSHEETS

Plastic sheets for acrylic trial closure.



Code	Pack
01PSP	1000pcs

### DENTAL DAM



Code	Pack	Dimensions
01DD	36pcs	150 x 150mm

### PREHMA DENTAL NAPKINS

Protects and maintains moisture when transporting impressions.



Code	Pack	Dimensions
36DN	20pcs	100 x 100mm

### FLAMOS

Disposable burner with 6 hours use.



Code
01PBB

### GLASS MIXING SLAB



Code	Dimensions
01GMS	95 x 70mm

### OPALESCENT

Japanese glass water bowl, guaranteed to be the most striking item on your bench.



Code
HPD7005

## Miscellaneous

### MAGNETIC BUR HOLDER

Colours may vary.


Code
51MBH



### BLACK NITRILE MAT

Incredibly hard wearing mat to protect your worktops. To be ordered in 100mm lengths.

Code	Dimensions
01RBM	1400 x 6mm



### DISPOSABLE PLASTER TRAP

A reliable, economic and convenient solution for the task that nobody wants to do.

Size: 18.9ltr Dimensions: 3000 x 380mm

Code	Description	Pack
32BPTL	Plaster Trap Starter Kit	1pc
32BPTR	Plaster Trap Refill	1pc
32BPTH	Spare Set of Hoses	2pcs



### SURFACE HARDENER

Self-curing acrylic solution used to harden and seal plaster models.

Code	Size
87R17192000	125ml



### TIME OUT

Liquid retardant for modifying the working time of plasters and stones.

Code	Size
66LTO	30ml



# Miscellaneous

## NANO ROCK



Liquid die stone that is incredibly strong and lightweight compared to traditional gypsums. Abrasion resistant and long-lasting, it is ideal for orthodontic study casts and demonstration models. Nano Rock does not shrink, has outstanding dimensional stability and is clean and precise to trim. Infinite colour variations can be achieved with minimal efforts when using the individual colours and the white base kit.

Code	Description	Size
90NRSKN	Natural Starter Kit	1kg(A)+1kg(B)
90NRSKW	White Starter Kit	1kg(A)+1kg(B)
90NRBL	Black Body (A)	1kg
90NRCB	Brown Body (A)	1kg
90NRGN	Green Body (A)	1kg
90NRNA	Natural Body (A)	1kg

Code	Description	Size
90NRRB	Blue Body (A)	1kg
90NRRD	Red Body (A)	1kg
90NRTN	Tan Body (A)	1kg
90NRWH	White Body (A)	1kg
90NRYW	Yellow Body (A)	1kg
90NRCAT	Catalyst (B)	1kg

## CENTRI™ SILICONE SPRAY

All purpose release/lubricant.



Code	Size
50CSS	400ml

## MODEL GLOSS

Environmentally friendly solution to add a glossy and dust resistant finish to plaster models.



Code	Size
38166-450-00	4.5kg

# Mixing Palettes

## THE TRAY

The new benchmark for ceramic mixing trays with a lightweight and smooth aluminium base. The Tray features a large black "pearl glass" work surface and is a collaboration of seven master technicians from around the world.



Code: HPD402-0010

## RENFERT LAY:ART CRYSTAL

Contemporary glass mixing tray.



Code: 87R10430000

## RENFERT LAY:ART CRYSTAL AQUA XL

Partially self-moistening mixing tray on abrasion free, float glass.



Code: 87R10431000

## RENFERT MELODY

Simple porcelain stains tray.



Code: 87R10580100

## PORCELAIN MIXING TRAY

Nine well porcelain mixing palette.



Code: 39MPg

## PLASTIC MIXING TRAY

Twenty four well plastic mixing palette.



Code: 51PMT

## Model Trimmer Wheels

### FARO MODEL TRIMMER WHEELS

Code	Description	Pack	Size
05FSW	Carborundum	1pc	254mmø
04FDW	Diamond	1pc	254mmø



### GAMBERINI MODEL TRIMMER WHEELS

Code	Description	Pack	Size
01GMTW10C	Coarse Carborundum	1pc	254mmø
01GMTW10D	Diamond	1pc	254mmø
01GMTW12	Smooth Carborundum	1pc	305mmø
01GMTW12C	Coarse Carborundum	1pc	305mmø
01GDMTDW	Diamond	1pc	305mmø



### RENFERT INFINITY DIAMOND WHEEL

Fully coated diamond wheel for **wet** trimming.


Code	Description	Pack	Size
87R18033000	For use with the MT Plus	1pc	234mmø
87R18033001	For use with the MT3	1pc	234mmø



### RENFERT MARATHON PARTIAL DIAMOND WHEEL

Partially coated diamond wheel for **wet** and **dry** trimming.

Code	Description	Pack	Size
87R18032000	For use with the MT Plus	1pc	234mmø
87R18032001	For use with the MT3	1pc	234mmø



### RENFERT KLETTFIX WHEELS

Carborundum wheel for **wet** trimming.

Code	Description	Pack	Size
87R18031100	Coarse 80 grit	5pcs	234mmø
87R18031200	Medium 120 grit	5pcs	234mmø



### UNIVERSAL MODEL TRIMMER WHEELS

Suitable for most model trimmers with a 25mm hole.

Code	Description	Pack	Size
05MSW	Coarse Carborundum	1pc	254mmø
05MSWE	Coarse Carborundum	1pc	305mmø
05MSWD	Diamond	1pc	254mmø



## Occlusal Spray

### DIASWISS OCCLUSION SPRAY

Code	Description	Size
40OSPB	Blue	75ml
40OSPG	Green	75ml
40OSPR	Red	75ml
40OSPW	White	75ml



## Scanning Spray

### DIASWISS DIASCAN SPRAY

Code	Description	Size
40DSSR	Red	75ml
40DSSW	White	75ml



### RENFERT SCANSPRAY

Ensures amazing results from your scans with defined edges and undistorted surfaces.

Code	Size
87R17310000	200ml



## Plasters

### ULTRASTONE

Blue, hard, class III plaster.



Code	Size
83KBKS	25kg

### CRYSTACAL R



Code	Size
01CR	25kg

### DENTAL PLASTER



Code	Size
01DP	25kg

### FINE CASTING PLASTER



Code	Size
01FC	25kg

### FLASKING PLASTER



Code	Size
01FP	25kg

### DENTSTONE KD



Code	Size
01KP	25kg

## Pliers

### CACHET PLIERS

Used to create retention buttons in our Cachet aligner material.

Code: 84CP



### PREMIUM MAXI ADAMS

Large (145mm) Adams pliers with two smooth rectangular beaks. Maximum wire thickness 0.8mmø. Includes Premium-Line 10 year guarantee.

Code: 38003-094-00



### PREMIUM MAXI ADAMS WITH ROUND BEAK

Large (160mm) Adams pliers with one smooth, round and one smooth, rectangular beak. Maximum wire thickness 0.8mmø. Includes Premium-Line 10 year guarantee.

Code: 38004-095-00



### PREMIUM MEDIUM ADAMS

Medium (120mm) Adams pliers with hardened steel insert and wire guidance groove. Maximum wire thickness 0.7mmø. Includes Premium-Line 10 year guarantee.

Code: 38004-515-00



### PREMIUM MEDIUM ADAMS T/C COATED

Medium (120mm) Adams pliers with tungsten carbide coating on beaks. Maximum wire thickness 0.7mmø. Includes Premium-Line 10 year guarantee.

Code: 38003-515-00



### EQ-LINE MAXI ADAMS

Maximum wire thickness 0.8mmø.

Code: 38045-016-00



## Pliers

### EQ LINE MAXI ADAMS WITH ROUND BEAK

Maximum wire thickness 0.8mmø.

Code: 38045-017-00



### PREMIUM MAXI ADERER

Large (155mm) three pronged Aderer pliers. Maximum wire thickness 1.5mmø. Includes Premium-Line 10 year guarantee.

Code: 38003-202-00



### PREMIUM MEDIUM ADERER

Medium (130mm) three pronged Aderer pliers. Maximum wire thickness 0.9mmø. Includes Premium-Line 10 year guarantee.

Code: 38003-200-00



### EQ-LINE MEDIUM ADERER

Maximum wire thickness 0.9mmø.

Code: 38045-008-00



### ADAMS CLASP BENDING

Special pliers for easy forming of Adams clasps. Maximum wire thickness 0.7mmø.

Code: 38012-523-00



### PREMIUM MEDIUM LOOP FORMING

For bending small springs, eyelets and loops. Maximum wire thickness 0.7mmø. Includes Premium-Line 10 year guarantee.

Code: 38003-053-00



### PREMIUM MINI LOOP FORMING

For loop forming and bending of round and rectangular wires. Maximum wire thickness 0.5mmø. Includes Premium-Line 10 year guarantee.

Code: 38003-351-00



## Pliers

### EQ-LINE MEDIUM LOOP FORMERS

Maximum wire thickness 0.7mmø.

Code: 38045-012-00



### MEDIUM NEEDLE HOLDER

According to Mathieu, the convenient and practical design makes these pliers ideal for ligating.

Code: 38000-030-00



### PREMIUM YOUNG LOOP

Universal pliers for different size loops, ideal for labial arches. Maximum wire thickness 0.7mmø. Includes Premium-Line 10 year guarantee.

Code: 38012-074-00



### HEAVY GAUGE SIDE/MAUN CUTTER

Especially designed cutter for large size wires, which requires little force. Use the bottom part of the plier to cut wire up to 1.3mmø.

Code: 38044-177-00



For a full range of pliers, please ask for the Pliers and Instruments Catalogue.

# Polishing

## CENTRI™ SUPER G

Green compound that is outstanding value for money and gives a mirror shine on all non-precious and precious alloys. The bar has been designed for ease of use and has great pick up on the brush.



Code	Size
78CSGC	400g

## VONAX

High gloss polishing compound for acrylic.



Code	Size
11VPC	650g

## PROTHO CLEAN®

Fully synthetic cleaning product for the removal of residual monomer and adding a high lustre finish to acrylic.



Code	Size
04PCS	75ml

## RENFERT UNIVERSAL POLISHING PASTE

Hard polishing compound that creates a high lustre mirror like finish on all acrylics.



Code	Size
87R5131000E	200g

## LUSTRE

Initial polishing compound for acrylic. Can also be used post pumice for TCS® Unbreakable™ and Karadent™.



Code	Size
11LPC	650g

## KENDA® 244 BLUE

Universal polishing solution for a high shine on flexible dentures, acrylics, composite, gold and chrome cobalt.



Code	Size
36KQPP	75ml

# Polishing

## CENTRI™ EMULSIONS

Animal fat and tissue free liquid polishing compound. Fast and efficient to use, can be used alone or as part of a polishing system. Suitable for use on acrylic, ceramic, precious, non-precious and titanium alloys.

Code	Description	Size
78CEM	Medium	100ml
78CEM-1000	Medium	1ltr
78CEF	Fine	100ml
78CEF-1000	Fine	1ltr



## DIALUX® WHITE

1500 grit universal, initial polishing compound.



Code	Size
02DWP	100g

## DIALUX® BLUE

1800 grit hard polishing compound for a high-lustre finish on all metals.



Code	Size
02DBP	100g

## DIALUX® GREEN

2000 grit hard polishing compound for a mirror finish on chrome cobalt.



Code	Size
02DGP	100g

## HYFIN

Traditional coarse polish for the first stage of polishing CoCr frameworks.



Code	Size
11HF	700g

## RENFERT SAPHIR

High-lustre polishing compound for use on CoCr frameworks.



Code	Size
87R5150000	250g

## TIGER BRILLANT POLISHING PASTE

Quick and easy to use polishing paste that gives a high shine on CoCr alloys.



Code	Size
38190-350-50	60g

## Polishing

### TIGER DIAMOND

Diamond polishing paste for a high shine on all metals, ceramics, composites and acrylics.

Code	Size
38190-302-00	50g

### RENFERT POLISH ALL-IN-ONE

Smear free, universal diamond polishing paste for composites and ceramics.

Code	Size
87R5100000	10g

### RENFERT POLISH ZrO<sub>2</sub>

Extra coarse diamond polishing paste for use on zirconia.

Code	Size
87R5101000	10g

### RENFERT POLISH LiSi<sub>2</sub>

Coarse diamond polishing paste specifically for lithium disilicate.

Code	Size
87R5102000	10g



## Pumice

### CENTRI™ SYNTHETIC PUMICE

Scented synthetic pumice in a choice of grit, that is easy to use and adheres to the restoration while polishing.

Code	Description	Size
120SP	Medium	2.5kg
120SP15	Medium	15kg
120SPC	Coarse	2.5kg
120SPC15	Coarse	15kg



## Pumice

### NATURAL PUMICE



Code	Size
01PPL	25kg
01PP	3kg

### SILIDENT

Efficient and economic, antibacterial pumice disinfectant.



Code	Size
07SPD	5ltr

## Safety Wear

### EYESHIELD XTRA

Economic, frameless wrap around safety glasses.

Code: 01SG



### UVEX OVER-GLASSES

Safety glasses for the spectacle wearer.

Code: 01SOG



### GREEN WELDING GOGGLES

Code: 33CSGW



### CLEAR SAFETY GOGGLES

Code: 33CSGC



### PRO SPECS

Safety glasses for the protection against UV light.

Code: 01UVG



## Saw Blades & Frames

### CENTRI™ SAW

Incredibly efficient and popular saw system. The blades are offset making the cut quicker, cleaner and longer lasting.

Code	Description	Pack
51PSH	Saw frame	1pc
51SBL	007" blades	100pcs



### ECLIPSE

Comprehensive and durable range of blades and frame.

Code	Description	Pack
33EFS	Eclipse saw frame	1pc
33EBC	Coarse 18tpi blades	100pcs
33EBPS32	Medium 32tpi blades	100pcs
33EBM	Medium fine 44tpi blades	100pcs
33EBF	Fine 60tpi blades	100pcs
33EBVF	Very fine 80tpi blades	100pcs



### PINDEX®

Ever popular range of pinned saw blades.



Code	Description	Pack
07SB301	007" PX301 blades	100pcs
07SB302	010" PX302 blades	100pcs

### SPIRAL SAW BLADES

Saw blades designed for plaster cutting.



Code	Pack
07SSB	12pcs

## Scalpels

### SWANN MORTON®



Code	Description	Pack	No.
33SMHL	Long handle 160mm	1pc	
33SMHS	Short handle 120mm	1pc	
33SMBR	Blade remover	100pcs	
33SMB1	#10	100pcs	1
33SMB1A	#10A	100pcs	2
33SMB11	#11	100pcs	3
33SMB12	#12	100pcs	4
33SMB15	#15	100pcs	5



### CENTRI™ BLADE

Includes 1 x handle and 12 x replacement blades.

Code: 51CB



### TCS® CARVING KNIFE

Precision hook style carving knife for a multitude of uses. Supplied with one blade.

Code: 01TCSZBC



## Separators

### CENTRI™ PCS

Easy and reliable plaster coating solution that leaves a surface residue and is also suitable for **warm casts**.

Code	Size
01PLC6	650ml
01PLC4	5ltr
01PLC25	25ltr



### PLASTER COATING BRUSH

Code: 02PLC4



# Separators

## CENTRI™ ISO+

Centri™ iso+ creates a smooth layer on damp casts, absorbing quickly into the stone, which is ideal when time is short. It absorbs well into plaster or die stone yet it can still be removed with compressed air if required. It is thicker in consistency than the standard isolating type of separating mediums but thinner than traditional cold mould seals. This means it can be absorbed quickly into small spaces, ideal around plaster tooth margins. It provides a great barrier between plaster/die stone, heat or cold cured acrylics and will also form an effective barrier between stone and waxes. One quickly applied layer is all that is required. Suitable for use on plaster/die stone at all stages of the production process (including **warm casts**).



Code	Size
85CISO	1ltr

## CENTRI™ SHIELD

Highest quality cream based isolating material. A single precise application is all that is required to create outstanding separation.



Code	Size
01CSD	500ml

## HARVEST MODELSEP™

Premium model separating agent that leaves no film or residue and dries instantly on contact. Works with all plasters, stones and resin reinforced stones.



Code	Size
HPD7065	236ml
HPD7066	946ml

# Shade Guides

## VITA CLASSICAL A1-D4®




Code: VB027C

## VITA CLASSICAL A1-D4® WITH VITA BLEACHED SHADES




Code: VB027CV1

## VITA TOOTHGUIDE 3D-MASTER® WITH BLEACHED SHADES



Code: VB360

## VITA BLEACHEDGUIDE 3D-MASTER®



Code: VB361

## VITA LINEARGUIDE 3D-MASTER®



Code: VB363

## Silicone Putty

### ERGASIL

Our groundbreaking laboratory silicone with gel catalyst (which is unlike traditional tin based catalysts) offers incredible accuracy of 50µm and a long working time of 4 minutes. With strong adhesion to cyanoacrylates, compression resistance and two shore hardness options, Ergasil is suitable for all laboratory techniques.

Code	Description	Size
66ERLP80-5	Ergasil 80	5kg
66ERLP5	Ergasil 92	5kg
66ENCAT	Energyl catalyst	60ml



### ANEXSIL

Addition curing silicone (polyvinylsiloxane) suitable for scanning with optical/laser/tactile scanning systems. The material is multifunctional and adapts perfectly to all techniques. The long working time allows the perfect positioning with extreme ease, without incurring risks of pre-hardening. The shore hardness of 70 (red)/90 (blue) is reached in a short time, making it suitable for use with any moulding technique.

- ▶ Easy and clean mixing thanks to 1:1 dosage
- ▶ High viscosity and workability
- ▶ Long working time
- ▶ Scannable
- ▶ Suitable for moulding techniques
- ▶ High detail definition (40µm)
- ▶ Final hardness reached in short time
- ▶ High resistance to compression
- ▶ Compatible with self and heat curing acrylic resins
- ▶ Heat resistance over 120°C
- ▶ Millable
- ▶ High colour contrast
- ▶ High dimensional stability

Code	Description	Size
68ANX90	Blue (90)	1kg + 1kg
68ANX905	Blue (90)	5kg + 5kg
68ANX90-10	Blue (90)	10kg + 10kg
68ANX70	Red (70)	1kg + 1kg
68ANX705	Red (70)	5kg + 5kg
68ANX70-10	Red (70)	10kg + 10kg



## Duplicating Silicone



### CENTRI™ DUPLIKA 12

Ever popular purple duplicating silicone with high tear resistance and incredible definition.

Code	Size
68CD12S	1kg + 1kg
68CD12L	5kg + 5kg

### CENTRI™ DUPLIKA HARD

Pink duplicating silicone with a denser matrix providing even higher tear resistance and definition.

Code	Size
68CDHS	1kg + 1kg
68CDHL	5kg + 5kg

## Duplicating Silicone Flask

### SILICONE DUPLICATING FLASK

Adjustable duplicating flask for use with silicone.

Code: 01ZDF Size: 45 x 90 x 75mm



## Solder/Welding

### CoCr WELDING WIRE

Co 65% Cr 28% Mo 5.5%.

Code	Description	Size
38528-210-10	0.35mm	2m
38528-200-10	0.5mm	2m



### CoCr SOLD 1

Nickel free, CoCr solder without flux.

Code: 38102-306-00 Size: 3g



### REMA® FLUX 1

Flux for CoCr Sold 1.

Code: 38102-304-00 Size: 25g



### CoCr SOLDERING RODS

Including flux for use on all CoCr alloys.

Code: 38142-100-50 Pack: 6pcs



### UNIVERSAL SILVER SOLDER

Cadmium free universal silver solder on a coil, without flux.

Code: 38380-704-50 Size: 10g



### DENTAFLUX®

Universal flux for all alloys, especially between precious and non-precious alloys.

Code: 38681-100-00 Size: 50g



## Solder/Welding

### DENTOWELD WELDING ROD

Chrome cobalt welding rods with flux.

Code: 32DWR Pack: 10pcs



### NIRANIUM WELDING RODS

Chrome cobalt welding rods without flux.

Code: 05NWR Pack: 25g



### NIRANIUM HIGH FUSING SOLDER FLUX

Flux for the Niranium welding rods.

Code: 05NWF Size: 57g



### HEAT SCREEN

Protects metals, plastics and ceramics against heat when soldering.

Code: 38380-070-00 Size: 100g



### RENFERT HOT-STOP

Heat absorbing paste, to stop the transfer of heat when soldering.

Code: 87R1390000 Size: 250g



## Troughs

### RUBBER TROUGH

Black rubber polishing trough, with extraction port and protective glass.



Code	Description
01RPT	Trough
01RPTIT	Optional insert

### CENTRI™ IEU TROUGH

Rigid plastic trough with adjustable protective screen.



Code	Description
01IEUPT	

## Ultrasonic Solutions

### ALL CLEANER

Environmentally friendly, concentrated tray cleaner. Thanks to its biodegradable ingredients, All Cleaner has a neutral pH and can be used with or without an ultrasonic bath. It will quickly and efficiently remove alginate, plasters or cement.



Code	Size
66ACP	1ltr

### PLASTER AND STONE REMOVER

Concentrated liquid for the removal of plaster and stone from dentures, trays and instruments.



Code	Size
25US1	2ltr

### WELCLEAN

Combines detergents, brightening agent and disinfectant to deeply clean and protect dental instruments. Not suitable for use on aluminium.



Code	Size
29WEL2	2ltr

## Ultrasonic Solutions

### GENERAL PURPOSE CLEANER

Concentrated, biodegradable, non-ammoniated general purpose cleaner.



Code	Size
29GPC	5ltr

### ORTHALGENAT® EX

Impression tray cleaner for removing plaster and alginate. Can be used as a concentrate or in an ultrasonic bath.



Code	Size
38150-010-00	1.5kg

## Varnish

### MEGASEAL N

Surface sealing lacquer reinforced with nano-particulates, providing a highly scratch resistant, glossy surface. Designed for sealing ceramic or plastic surfaces, only a thin layer of Megaseal N is required and can be applied with the brush supplied.



Code	Size
07DCVN	20ml

### NANO VARNISH

Light curing one component lacquer with nano-particles, to ensure extra protection against bacteria. Only a thin application is required and the material is very transparent and easy to process. Includes drop measure and microbrush.



Code	Size
D38900	20ml