


FULL DENTURE SYSTEM







FULL DENTURE PROSTHETICS ACCORDING TO DENTAL TECHNOLOGY LOGIC. PRECISE, CUSTOMIZED, ESTHETIC.

Ceramill FDS (Full Denture System) describes a completely continuous workflow for fabricating full dentures on a wax base. In contrast to full dentures including dentition milled from acrylic, the denture base fabricated using setting-up wax can be adjusted, if necessary, after try-in by the dentist. An exact intraoral intermaxillary relationship can be ensured thanks to the possibility of influencing the fit and function of the denture. The risk of having to remake the denture due to incorrect manual bite registration is also avoided. This guarantees economic use of material without financial risk for the dental lab.





CONTINUOUS IN-HOUSE WORKFLOW FOR FULL DENTURES ON A CAD/CAM BASIS

Ceramill FDS is characterized by unique continuity and seamless linking of all software and hardware components. Implementation is completed using the "Ceramill D-Flow" software module and the 5-axis hybrid system Ceramill Motion 2. During development, Amann Girrbach continually focused on the entire workflow. Seamless interlinking of all system components created a convenient workflow in which the time-consuming setting up procedure is shortened by approximately 60% - full value creation is included. The end of the process results in reproducible, functional full dentures with a high degree of esthetics and precision.

DIGITALIZING THE PATIENT SITUATION

SCANNING

DESIGNING







Functional recording and digitalization of patient data with the Artex articulators and Ceramill Transfer Kit




Scanning of patient data using the Ceramill Map400 scanner





Designing the full denture using the Ceramill D-Flow software



BASAL ADAPTATION

MILLING (WET)

CONNECT

CHECKING





Automatic adaptation of the tooth bases to the alveolar ridge






Basal adaptation of the denture teeth and milling of the wax base











Checking the function - The teeth can be re-set and high spots eliminated









FABRICATE CUSTOMIZED FULL DENTURES EFFICIENTLY AND PRECISELY









Ceramill FDS

Impression taking

Effective working time: 62 min.*

Model analysis / Setting up Waxing up Wax base fabrication (CNC) Adaptation of tooth bases (CNC)

Try-in

Manuell

Impression taking

Effective working time: 162 min.

Model analysis / Fabricating the wax base / Setting up Waxing up

Try-in


Comparison of time required for the fabrication of full/full dentures. Determined average values. Source: Amann Girrbach R&D

- _ Elimination of sources of errors and knowledge gaps when setting up
- _ Increased convenience when setting up and waxing up
- _ Approximately 60% saving in working time during setting up, which can be used profitably
- _ No grinding adjustments when setting up (wax contraction, contact points)
- _ Assured esthetics and cost-effectiveness thanks to the possibility of adjustment after try-in and complete reproducibility

^{*}incl. additional activities for machine fabrication

EASY AND RELIABLE - CUSTOMIZED AND PRECISE

Ceramill D-Flow is an upgrade module for the Ceramill Mind software and was specially developed for designing customised, precise full dentures. It is used after model fabrication and articulating using the manual procedure and replaces all working stages up to the wax try-in with a seamless digital workflow. The user is guided step-by-step thro the working process and benefits from a high degree of convenience, efficiency and process reliability.



MODEL ANALYSIS

Model analysis in the Ceramill D-Flow software is based on the TIF system. The software guides the user through the individual process stages, in which the respective anatomical details are marked. Following this, the joint basic statics of the upper and lower jaw models are calculated in the form of a visual representation of all functionally relevant setting up and tolerance areas. The sets of denture teeth are then selected based on these results followed by automatic recommendation for the set-up.




AUTOMATIC SETTING UP BY THE INTEGRATED SETTING UP CONCEPT

The tooth set-ups of the upper and lower are stored in the software according to the contact point guidelines of the tooth manufacturer. The integrated setting up concepts thus guarantee an ideal tooth-to-tooth relationship and form the basis for interference-free function. To ensure an optimally functional and esthetic outcome, the user receives a best-fit recommendation for the available sets of teeth, which were automatically determined from the values of the previous model analysis. Sources of errors and knowledge gaps when setting up are avoided in this way in favor of a quick, easy solution with accurately fitting results.



CERAMILL ARTEX VIRTUAL ARTICULATOR


Excursions of the mandible can be simulated in the virtual articulator. This allows any interfering areas of the teeth in protrusion, laterotrusion and retrusion to be visualized. The dynamic occlusion can be set by moving the teeth directly in the software.






CUSTOMISATION OF THE SET-UP

To meet the esthetic requirements when setting up the teeth, the set-up can be customized individually or with the aid of the chain tool. If the position of a tooth is changed when working with the chain tool, the adjacent tooth follows automatically whereby the proximal contacts always remain intact. Posterior teeth can be moved in blocks of eight while maintaining the contact relationships and in accordance with the tooth manufacturer's guidelines. This allows the set-up to be adjusted individually, as far as permitted by the limits calculated in the model analysis.



GINGIVA FORMING

Ceramill D-Flow incorporates the function of automatically creating denture bases and gingiva, which produces an optimum initial basis for quick and easy, yet customized design of denture bases and gingiva. For example, gingival characteristics such as alveoli profiles or papillae contours can be generated and the minimum thickness of the denture base guaranteed using different modeling and setting options.



BASAL ADAPTATION

The denture teeth are automatically adapted basally with a defined gap to the alveolar ridge. Interfering areas are removed later using the Ceramill Motion 2 (5X), eliminating the need for manual basal reworking of the teeth. Further, in future it will be possible to insert rotational security basally into the teeth.



TOP FUNCTION - PERFECT RESULT

The Ceramill Full Denture System fabricates full dentures in a working process designed according to dental technology logic that are also characterized not only by perfect occlusal relationships but also by individuality and esthetics. The Ceramill D-Flow module offers a wide range of functions and design possibilities to meet patient-specific requirements.

Design and customization of the papillae, alveoli, tuberosities and frenula







Wax try-in without additional manual editing

Design and customization of the anterior set-up and gingiva with cervical region







Wax try-in without additional manual editing



Design and customization of the palatine rugae








Wax try-in without additional manual editing

Design and customization of the labial frenum







Wax try-in without additional manual editing

- _Digital model analysis and the integrated setting up concepts of tooth manufacturers ensure perfect occlusion and function
- _Best-fit recommendation of the set of teeth with automatic set-up
- _Quick, easy customization and positioning of the anterior teeth
- _Perform mandibular excursions in the virtual articulator for setting the required posterior tooth guidance
- _Basal adaptation of the denture teeth at the press of a button time-consuming, manual reworking is no longer required




MILLING OF THE WAX BASE

The wax base for functional dentures fabricated using Ceramill FDS is milled in the wet mode with the Ceramill Motion 2 (5X). Special cutters with a longer shank also reach deeper basal cavities and guarantee clean milling of the tooth sockets according to previously defined functional aspects. As the full dentures are fabricated in setting-up wax, any adjustments are possible without problem.

_Ceramill CAD/CAM uses a proven, full-denture quality setting-up wax

- _Enlarged blank shape covers virtually all types of full dentures
- _Gum-colored blank for esthetic check intraorally (Class 1 medical device)
- _Blank milling under water cooling prevents smearing and distortion, ensuring optimum fit of the denture and teeth in the tooth sockets





Ceramill D-Wax - quality sheet wax with enlarged blank shape for a wide range of full dentures



Roto D-Wax with longer shank for optimum milling results, even with deep basal cavities



Ceramill D-Wax blank holder with enlarged recess




MILLING THE DENTURE TEETH

Full dentures fabricated using Ceramill FDS obtain maximum esthetics thro the use of high-quality, commercially available denture teeth. These are embedded at the factory with special wax in a blank holder developed specifically for Ceramill CAD/CAM. The interfering areas on the base of the denture tooth next to the alveolar ridge are adapted in the Ceramill Motion 2 (5X) in approx. 1 minute, depending on the amount of material to be removed. The result is highly precise and functionally prepared denture teeth, which meet the standards of customized, esthetically high-quality full dentures. In future, Ceramill D-Set denture teeth will be able to be adapted occlusally, which will enable fabrication of full dentures.

- _Patented Plug&Play blank holders for easy insertion and automatic basal adaptation of the denture teeth
- _High-quality, commercially available denture teeth ensure quick, esthetic and functional results with excellent intraoral comfort
- _Calibration of the blank holder guarantees exact processing of the denture teeth
- _Occlusal denture tooth adaptation will in future enable the fabrication of full dentures





Automatic basal adaptation of the denture teeth in the Ceramill D-Flow software



Ceramill D-Set: commercially available denture teeth for Ceramill CAD/CAM




Easy insertion of the basally adapted denture teeth in the tooth sockets of the wax base






WORKING AND ORDERING PROCEDURE FOR CUSTOMERS

DAY 1



DAY 2







ORDERING INFORMATION

Software

179147	Ceramill D-Flow (min. Win 7)
Hardware	
760018	Ceramill FDS Starter Kit for Ceramill Motion 5 (5X)
Contents:	
760570	Ceramill D-Wax
760301	Ceramill Test
179282	Blank holder M2 (5X) XL
179283	Blank holder M2 (5X) D-Set
179285	Storage bar blank holder
760631	Roto 1,0 Red
760633	Roto 3,0 Red
760643	Roto 1,5 Pink
760642	Roto 2,5 Pink
760630	Roto SF 1,2 Green
760609	Roto DMB DC Ø 1,0 mm White
760608	Roto DMB DC Ø 2,5 mm White
179977	Spindle cap 3.0 5X

Ceramill D-Set patented denture tooth blanks

Kulzer - Pala Mix&Match DS1:

Pala Premium 6 DS, A1, A2, A3, A3,5, B1

Pala Mondial 6 and 8 DS, A1, A2, A3, A3,5, B1

Pala Idealis 8 DS, A1, A2, A3, A3,5, B1

VITA - Vita VIONIC® FRAME2:

Vitaplan Excell DD Frame

Vitapan Lingoform DD Frame

Merz Dental^{1:}


Polystar® Selection Edition anteriors

DeltaForm® posteriors

- 1) can be ordered directly from manufacturer
- 2) can be ordered from Amann Girrbach; Product information in additional order information



Ceramill FDS Starterkit



Ceramill D-Set for Ceramill CAD/CAM



AUSTRIA (HEADQUARTERS)

Amann Girrbach AG Koblach, Austria Fon +43 5523 62333-105 austria@amanngirrbach.com

GERMANY

Amann Girrbach GmbH Pforzheim, Germany Fon +49 7231 957-100 germany@amanngirrbach.com

NORTH AMERICA

Amann Girrbach North America, LP Charlotte, NC, U.S.A. Fon +1 704 837 1404 america@amanngirrbach.com

BRASIL

Amann Girrbach Brasil LTDA Curitiba, Brasil Fon +55 41 3287 0897 brasil@amanngirrbach.com

ASIA

Amann Girrbach Asia PTE LTD. Singapore, Asia Fon +65 6592 5190 singapore@amanngirrbach.com

CHINA

Amann Girrbach China Co., Ltd. Beijing, China Fon +86 10 8886 6064 china@amanngirrbach.com