

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Model Gloss

Print date: 10.09.2014

Product code: 166-450

Page 2 of 4

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product itself is not combustible. Extinguishing materials should be selected according to the surrounding area.

SECTION 6: Accidental release measures

6.3. Methods and material for containment and cleaning up

Flush away residues with water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|---------|-------------|-----|-------------------|-----------|---------------|--------|
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |

8.2. Exposure controls

Protective and hygiene measures

Thorough skin-cleansing after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: transparent, yellow
 Odour: characteristic

Test method

Changes in the physical state

Density: > 1 kg/l; 1,0 g/cm³
 Water solubility: miscible.

SECTION 10: Stability and reactivity

10.3. Possibility of hazardous reactions

No risks worthy of mention.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Model Gloss

Print date: 10.09.2014

Product code: 166-450

Page 3 of 4

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

| CAS No | Chemical name | | | | |
|---------|---|--------|--------------|---------|--------|
| | Exposure routes | Method | Dose | Species | Source |
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol | | | | |
| | oral | LD50 | > 2000 mg/kg | Rat. | |
| | dermal | LD50 | > 2000 mg/kg | Rabbit. | |

SECTION 12: Ecological information

12.1. Toxicity

| CAS No | Chemical name | | | | | |
|---------|---|--------|-------------|-----------|---------|--------|
| | Aquatic toxicity | Method | Dose | [h] [d] | Species | Source |
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol | | | | | |
| | Acute fish toxicity | LC50 | > 100 mg/l | 96 h | | |
| | Acute crustacea toxicity | EC50 | > 1000 mg/l | 48 h | | |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be disposed of on a rubbish tip for household waste.

Waste disposal number of used product

200301 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; other municipal wastes; mixed municipal waste

Contaminated packaging

Cleaned containers may be recycled.

SECTION 14: Transport information

Other applicable information

Not a hazardous material with respect to transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

According to EC directives or the corresponding national regulations there is no labelling obligation for this product.

National regulatory information

Water contaminating class (D): - - not water contaminating

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Model Gloss

Print date: 10.09.2014

Product code: 166-450

Page 4 of 4

Full text of R phrases referred to under Sections 2 and 3

- 11 Highly flammable.
- 36 Irritating to eyes.
- 67 Vapours may cause drowsiness and dizziness.

Full text of H statements referred to under Sections 2 and 3

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)