

Intra- and extra-oral.

Appliances for every treatment technique.



DENTAURUM
**ONLINE
SHOP**
shop.dentaurum.com





Complete delivery program for all areas of treatment.

The range of intra-oral and extra-oral products from Dentaureum extends from simple elastics or separators for intra-oral use to neck pads and innovative appliances such as the Face Former or OrthoSafe appliance.

During the development, production and selection of all intra- and extra-oral products, great care is taken to comply with the Dentaureum quality standards. Not only does this guarantee a high degree of security for the practitioner and patient, but it also enables time-saving and effective treatment.



Elastic auxiliaries

Available in many colors, diameters and in various forces.

Dentalastics® separators

For quick and easy separation of teeth.



Extra-oral appliances



High-pull headgear with safety modules

The traction modules on the cervical pads and high pull headgear help to prevent accidental dislodging of the facebow. When a pulling force exceeds (approx. 2.5–3 kg/5.5–6.6 lbs.) the traction modules separate automatically disengaging the facebow, preventing any whip-back (e.g. of the facebow). Reassembly is easy for either patient or parent. The traction module released by the clip is simply pushed back into position.

Headgear must always be used with safety modules!

Form of delivery:

High-pull headgear with relevant safety module.

Pulling force	Module	High-pull headgear	REF	Quantity
light to 4.5 N (450 g)	white	Denim, blue	745-024-00	1 piece
medium to 6 N (600 g)	dark blue	Denim, blue	745-025-00	1 piece
strong to 7.5 N (750 g)	light blue	Denim, blue	745-026-00	1 piece

CE



High-pull headgear without safety modules

Headgear must always be used with safety modules!

High-pull headgear	REF	Quantity
Denim, blue	745-027-00	1 piece
Cotton, blue	745-031-00	1 piece
Cotton, pink	745-032-00	1 piece

CE



High-pull headgear with eyelets for chin cap therapy

Headgear should only be used with chin caps and flexible plastic chains!

High-pull headgear	REF	Quantity
Denim, blue	744-711-50	1 piece

CE



Neck band with safety modules

The traction modules on the cervical bands and high pull headgear help to prevent accidental dislodging of the facebow. When a pulling force exceeds (approx. 2.5–3 kg/5.5–6.6 lbs.) the traction modules separate automatically disengaging the facebow, preventing any whip-back (e.g. of the facebow). Reassembly is easy for either patient or parent. The traction module released by the clip is simply pushed back into position.

Neck bands must always be used with safety modules!

Form of delivery:

Neck band with relevant safety module.

Pulling force	Neck pad	Module	REF	Quantity
light to 4.5 N (450 g)	Denim, blue	white	745-020-00	1 piece
medium to 6 N (600 g)	Denim, blue	dark blue	745-021-00	1 piece
strong to 7.5 N (750 g)	Denim, blue	light blue	745-022-00	1 piece

CE

Neck band without safety modules

Neck bands must always be used with safety modules!

Neck pad	Length	REF	Quantity
Denim, blue	180 mm	745-023-00	5 pieces
Cotton, blue	180 mm	745-033-00	5 pieces



CE

Neck pad for neck bands

Color	Length	REF	Quantity
4 x blue, 3 x black, 3 x yellow	170 mm	744-112-01	10 pieces
blue	170 mm	744-101-01	10 pieces



CE

Neck band without safety modules, padded

Neck bands must always be used with safety modules!

Neck pad	Length	REF	Quantity
blue/red	180 mm	745-038-00	5 pieces
red/blue	180 mm	745-039-00	5 pieces
blue/yellow	180 mm	745-041-00	5 pieces



CE

Safety modules with metal clip

For neck bands or high-pull headgear.

Headgear and neck bands must always be used with safety modules!

Pulling force	Module	REF	Quantity
light to 4.5 N (450 g)	white	745-028-00	10 pieces
medium to 6 N (600 g)	dark blue	745-029-00	10 pieces
strong to 7.5 N (750 g)	light blue	745-030-00	10 pieces



CE

Extra-oral appliances



High-pull headgear for chin cap therapy

Suitable for all head and chin sizes.

The connector line runs between the tip of the chin and temporomandibular joint.

Indications:

- for early treatment of Angle Class III
- with cross-bite tendency of single or all anterior teeth

Chin cap	Color	REF	Quantity
elastic, porous and air permeable	blue	744-705-00	1 piece
rigid, short outer hooks, air permeable	blue	744-709-00	1 piece

CE



Vertical-pull headgear for chin cap therapy

Suitable for all head and chin sizes.

The connector line runs between the tip of the chin and temporal region.

Indications:

- for early treatment of an open bite
- for early treatment of a vertical growth pattern

Chin cap	Color	REF	Quantity
elastic, porous and air permeable	blue	744-706-00	1 piece
rigid, short outer hooks, air permeable	blue	744-710-00	1 piece

CE



High-pull headgear Hickham

Suitable for all head sizes.

The required force is produced by extra-oral elastics (see accessories).

Indications:

- for treatment of Angle Class II/2 (anterior deep overbite)
- for intrusion of anterior teeth
- for distalization of cuspids/bicuspid

J-Hooks (REF 744-713-00) for Hickham headgear see accessories.

Color	REF	Quantity
blue	744-717-00	1 piece

CE

Universal-pull headgear Hickham

Suitable for all head sizes.

Offers individual adjustment of force direction.

The required force is produced by extra-oral elastics (see accessories).

Indications:

- for unilateral distalization of teeth (for creating space unilaterally and Class II correction)
- for unilateral intrusion/extrusion of teeth (correction of the occlusal plane)
- for simultaneous intrusion and retrusion of incisors
- skeletal protrusion of the maxilla (prognathism)
- dentoalveolar protrusion in the maxilla and mandible
- for unilateral anchorage
- in the case of premolar extraction with max. anchorage and complete diastema closure mesially
- adjustment of the midline

J-Hooks (REF 744-713-00) for Hickham headgear see accessories.



Color	REF	Quantity
blue	744-712-00	1 piece



Face mask

Support on the forehead and chin allows a ventral direction of traction for the maxilla and upper dental arch as well as mesial movement of the upper and lower posterior teeth.

Indications:


- for early treatment of Angle Class III malocclusions
 - skeletal retrusion of the maxilla (micrognathia)
 - dentoalveolar retrusion in the maxilla
 - skeletal overdevelopment of the mandible (macrogenia)
 - reduces anterior lower facial height (deep overbite)
 - protrusion of teeth (single or in groups of teeth)
 - in the case of cheilognathopalatoschisis
 - for mesialization of the maxillary dentition
- Forehead pad with band and chin cap see accessories.



Designation	REF	Quantity
Reverse-pull headgear Tübinger model	745-300-00	1 piece
Face mask Delaire model	745-400-00	1 piece



Extra-oral appliances



Noninium® facebow, medium

nickel free

(Nickel trace elements of $\leq 0.2\%$ are due to the process of manufacturing)
Break resistant laser welded connection between outer and inner bow.

Safety Note:

Facebows must always be used with headgear and neck bands with safety modules!

Inner bow \varnothing	Stop loops	Safety caps	Cuspid hooks	Facebow	REF	Quantity
1.15 mm / 45		white			740-000-00	1 piece

CE



Standard facebow, mini


Break resistant laser welded connection between outer and inner bow.

Safety Note:

Facebows must always be used with headgear and neck bands with safety modules!

Inner bow \varnothing	Stop loops	Safety caps	Cuspid hooks	Facebow	REF	Quantity
1.15 mm / 45		white			740-019-00	1 piece
1.15 mm / 45		white		plastic coated	740-219-00	1 piece
1.15 mm / 45	97 mm	red			741-049-00	1 piece

CE



Standard facebow, medium


Break resistant laser welded connection between outer and inner bow.

Safety Note:

Facebows must always be used with headgear and neck bands with safety modules!

Inner bow \varnothing	Stop loops	Safety caps	Cuspid hooks	Facebow	REF	Quantity
1.00 mm / 40		white			740-010-00	1 piece
1.15 mm / 45		white			740-020-00	1 piece
1.15 mm / 45		white	•		740-120-00	1 piece
1.15 mm / 45		white		plastic coated	740-220-00	1 piece

CE



Standard facebow, maxi

Break resistant laser welded connection between outer and inner bow.

Safety Note:

Facebows must always be used with headgear and neck bands with safety modules!

Inner bow \varnothing	Stop loops	Safety caps	Cuspid hooks	Facebow	REF	Quantity
1.15 mm / 45		white			740-021-00	1 piece
1.15 mm / 45		white		plastic coated	740-221-00	1 piece

CE

Facebow, medium, with stop loops

Facebow: without coating


Inner bow \varnothing : 1.15 mm / 45

Break resistant laser welded connection between outer and inner bow.

Safety Note:

Facebows must always be used with headgear and neck bands with safety modules!

Outer bow size	Inner bow size	Stop loops	Safety caps / Size	Cuspid hooks	REF	Quantity
49 mm	29 mm	83 mm	yellow / Size 1		741-040-00	1 piece
49 mm	32 mm	90 mm	grey / Size 2		741-045-00	1 piece
49 mm	35 mm	97 mm	red / Size 3		741-050-00	1 piece
49 mm	38 mm	104 mm	green / Size 4		741-055-00	1 piece
49 mm	41 mm	111 mm	blue / Size 5		741-060-00	1 piece
49 mm	35 mm	97 mm	red / Size 3	•	741-150-00	1 piece



CE

Facebow, medium, with stop loops

Facebow: plastic coated


Inner bow \varnothing : 1.15 mm / 45

Break resistant laser welded connection between outer and inner bow.

Safety Note:

Facebows must always be used with headgear and neck bands with safety modules!

Outer bow size	Inner bow size	Stop loops	Safety caps / Size	Cuspid hooks	REF	Quantity
49 mm	29 mm	83 mm	yellow / Size 1		741-240-00	1 piece
49 mm	32 mm	90 mm	grey / Size 2		741-245-00	1 piece
49 mm	35 mm	97 mm	red / Size 3		741-250-00	1 piece
49 mm	38 mm	104 mm	green / Size 4		741-255-00	1 piece



CE



Accessories / Extra-oral



Chin cap

Elastic, porous, air permeable.
Color: blue

REF 744-614-00	1 piece
----------------	---------

CE



Chin cap

Rigid, padded, with short hooks, air permeable.
Color: blue

REF 744-613-00	1 piece
----------------	---------

CE



Chin cap

Rigid, padded, with long hooks, air permeable.
Color: blue

REF 744-615-01	1 piece
----------------	---------

CE



Chin cap

For reverse-pull headgear, "Tübinger" model, air permeable.
Color: blue

REF 745-304-01	1 piece
----------------	---------

CE



Chin cap liner

To make the chin cap more comfortable
and to prevent skin irritation.

REF 744-616-00	10 pieces
----------------	-----------

CE



Chin cap liner, Delaire

Forehead/Chin cap pad for face mask Delaire
(REF 745-400-00), self-adhesive.

REF 745-401-00	2 pieces
----------------	----------

CE



Traction straps

For headgear (REF 744-705-00 / 744-706-00 /
744-709-00 / 744-710-00).
Color: blue

REF 745-402-00	2 pieces
----------------	----------

CE

Headband, elastic adjustable

For reverse-pull headgear, "Tübinger" model.
Length: 40 cm

REF 745-302-00	5 pieces
----------------	----------

CE



Forehead pad with band

For reverse-pull headgear, "Tübinger" model.

REF 745-301-01	5 pieces
----------------	----------

CE




J-Hook for Hickham headgear

For universal-pull headgear (REF 744-712-00) and high-pull headgear (REF 744-717-00). Complete with sliding tubes and elastics. For cuspid/bicuspid retraction.

REF 744-713-00	2 pieces
----------------	----------

CE



Cap

For face mask Delaire (REF 745-400-00).
Color: blue

REF 745-403-00	1 piece
----------------	---------

CE



Screw

For face mask Delaire (REF 745-400-00).

REF 745-404-00	1 piece
----------------	---------

CE



Accessories / Extra-oral



Dentalastics® extra-oral plastic chain

Color	Length	REF	Quantity
transparent	118 mm	774-300-00	10 pieces



Extra-oral latex elastics

High elasticity and fatigue resistance. Pulling force ratings are based on the elastic being stretched 3 times the listed inner diameter.

Pulling force	Inner ø	REF	Quantity
light 2.3 N (227 g)	6.4 mm / 1/4 inch	772-203-01	1000 pieces
light 2.3 N (227 g)	8.0 mm / 5/16 inch	772-204-01	1000 pieces
light 2.3 N (227 g)	9.5 mm / 3/8 inch	772-205-01	1000 pieces
light 2.3 N (227 g)	12.7 mm / 1/2 inch	772-206-01	1000 pieces
strong 4.5 N (455 g)	8.0 mm / 5/16 inch	772-208-01	1000 pieces
strong 4.5 N (455 g)	12.7 mm / 1/2 inch	772-210-01	1000 pieces



Lip bumper

With plastic shield and hook for intermaxillary elastics.

Indications:

- for distalization of molars
- for stabilization of molars in the late mixed dentition
- with labial tipping of the anterior teeth caused by tongue pressure

for tubes	REF	Quantity
ø 0.90 mm / 36	748-009-00	1 piece
ø 1.15 mm / 45	748-114-00	1 piece



Stop tube

For facebows and lip bumpers.

Inner ø	Length	REF	Quantity
1.15 mm / 45	2 mm	480-914-00	100 pieces



Stop screw

acc. to Ladanyi

For facebows and lip bumpers.

Inner ø	REF	Quantity
1.15 mm / 45	480-918-02	10 pieces



Key for hexagon socket screws

acc. to Ladanyi

For hexagonal stop screws.

Only intended for use in the laboratory!



Key width	REF	Quantity
0.9 mm	480-924-02	1 piece

Activator tubes

E.g. for Teuscher activator. These tubes can be built directly into an activator to hold a facebow.


Used for attaching a facebow.



Inner ø	REF	Quantity
1.15 mm / 45	607-300-00	10 pieces
1.30 mm / 51	607-301-00	10 pieces

CE

Elastics and auxiliaries / Intra-oral



Elastic placers

For seating and removing intra-oral elastics.
Color: assorted colors

REF 772-400-00

50 pieces

CE



DISCO intra-oral colored latex elastics

Highest elasticity and fatigue resistance.

The elastic packs are marked according to size and strength with symbols.

Therefore, every type can be quickly identified.

Strength:

Strength ratings are based on the elastic being stretched 3 times the listed inner diameter.

	Color	Pulling force	Inner ø	REF	Quantity
	green, red, violet	medium 1.3 N (128 g)	4.8 mm / 3/16 inch	772-514-00	25 x 100 pieces
	green, red, violet	medium 1.3 N (128 g)	6.4 mm / 1/4 inch	772-516-00	25 x 100 pieces
	green, red, violet	medium 1.3 N (128 g)	8.0 mm / 5/16 inch	772-517-00	25 x 100 pieces
	green, red, violet	strong 1.8 N (184 g)	4.8 mm / 3/16 inch	772-524-00	25 x 100 pieces
	green, red, violet	strong 1.8 N (184 g)	6.4 mm / 1/4 inch	772-526-00	25 x 100 pieces
	green, red, violet	strong 1.8 N (184 g)	8.0 mm / 5/16 inch	772-527-00	25 x 100 pieces

CE⁰⁴⁸³

Intra-oral latex elastics

Highest elasticity and fatigue resistance.

The elastic packs are marked according to size and strength with symbols.
Therefore, every type can be quickly identified.

Strength:

Strength ratings are based on the elastic being stretched 3 times the listed inner diameter.



Color	Pulling force	Inner ø	REF	Quantity	
natural	light 0.7 N (71 g)	3.2 mm / 1/8 inch	772-103-00	10 x 100 pieces	1
natural	light 0.7 N (71 g)	4.8 mm / 3/16 inch	772-104-00	10 x 100 pieces	2
natural	light 0.7 N (71 g)	6.4 mm / 1/4 inch	772-106-00	10 x 100 pieces	3
natural	light 0.7 N (71 g)	8.0 mm / 5/16 inch	772-107-00	10 x 100 pieces	4
natural	light 0.7 N (71 g)	9.5 mm / 3/8 inch	772-109-00	10 x 100 pieces	5
natural	medium 1.3 N (128 g)	3.2 mm / 1/8 inch	772-113-00	10 x 100 pieces	6
natural	medium 1.3 N (128 g)	4.8 mm / 3/16 inch	772-114-00	10 x 100 pieces	7
natural	medium 1.3 N (128 g)	6.4 mm / 1/4 inch	772-116-00	10 x 100 pieces	8
natural	medium 1.3 N (128 g)	8.0 mm / 5/16 inch	772-117-00	10 x 100 pieces	9
natural	medium 1.3 N (128 g)	9.5 mm / 3/8 inch	772-119-00	10 x 100 pieces	10
natural	strong 1.8 N (184 g)	3.2 mm / 1/8 inch	772-123-00	10 x 100 pieces	11
natural	strong 1.8 N (184 g)	4.8 mm / 3/16 inch	772-124-00	10 x 100 pieces	12
natural	strong 1.8 N (184 g)	6.4 mm / 1/4 inch	772-125-00	10 x 100 pieces	13
natural	strong 1.8 N (184 g)	8.0 mm / 5/16 inch	772-126-00	10 x 100 pieces	14
natural	strong 1.8 N (184 g)	9.5 mm / 3/8 inch	772-127-00	10 x 100 pieces	15

CE 0483



Elastics and auxiliaries / Intra-oral



Intra-oral non-latex elastics




Highest elasticity and fatigue resistance.

The elastic packs are marked according to size and strength with symbols.

Therefore, every type can be quickly identified.

Strength:

Strength ratings are based on the elastic being stretched 3 times the listed inner diameter.

Color	Pulling force	Inner ø	REF	Quantity
 transparent	light 0.7 N (71 g)	3.2 mm / 1/8 inch	772-303-00	10 x 100 pieces
 transparent	light 0.7 N (71 g)	4.8 mm / 3/16 inch	772-304-00	10 x 100 pieces
 transparent	light 0.7 N (71 g)	6.4 mm / 1/4 inch	772-306-00	10 x 100 pieces
 transparent	light 0.7 N (71 g)	8.0 mm / 5/16 inch	772-307-00	10 x 100 pieces
 transparent	light 0.7 N (71 g)	9.5 mm / 3/8 inch	772-309-00	10 x 100 pieces
 transparent	medium 1.3 N (128 g)	3.2 mm / 1/8 inch	772-313-00	10 x 100 pieces
 transparent	medium 1.3 N (128 g)	4.8 mm / 3/16 inch	772-314-00	10 x 100 pieces
 transparent	medium 1.3 N (128 g)	6.4 mm / 1/4 inch	772-316-00	10 x 100 pieces
 transparent	medium 1.3 N (128 g)	8.0 mm / 5/16 inch	772-317-00	10 x 100 pieces
 transparent	medium 1.3 N (128 g)	9.5 mm / 3/8 inch	772-319-00	10 x 100 pieces
 transparent	strong 1.8 N (184 g)	3.2 mm / 1/8 inch	772-323-00	10 x 100 pieces
 transparent	strong 1.8 N (184 g)	4.8 mm / 3/16 inch	772-324-00	10 x 100 pieces
 transparent	strong 1.8 N (184 g)	6.4 mm / 1/4 inch	772-325-00	10 x 100 pieces
 transparent	strong 1.8 N (184 g)	8.0 mm / 5/16 inch	772-326-00	10 x 100 pieces
 transparent	strong 1.8 N (184 g)	9.5 mm / 3/8 inch	772-327-00	10 x 100 pieces

CE 0483



Container for intra-oral elastics

For mini patient packs. With wall mount.

Dimensions (W x H x D): 508 x 169 x 107 mm

Color: white

REF 772-000-00	1 piece
-----------------------	---------



Intra-oral latex elastics

Special sizes

Cuspid to cuspid, for facebows with cuspid hooks. Highest elasticity and fatigue resistance.

Strength ratings are based on the elastic being stretched 3 times the listed inner diameter.

Pulling force	Inner ø	REF	Quantity
medium 1.3 N (128 g)	16 mm / 5/8 inch	772-100-00	1000 pieces
medium 1.3 N (128 g)	19 mm / 3/4 inch	772-200-00	1000 pieces

CE 0483

Elastic ligature

For rotation, cuspid movement, figure eight ligating, etc.

- with roughened surface, providing a more secure hold and easier tying
- high ultimate tensile strength
- constant recoil force

Color	Outer ø	Length	REF	Quantity
transparent	0.65 mm / 25	7.5 m	775-210-01	1 piece

CE 0483



Elasto-Force elastic ligature thread

For rotation, cuspid movement, figure eight ligating, etc.

Easy to tie, because the thread is hollow.

Color	Outer ø	Length	REF	Quantity
transparent	0.65 mm / 25	15 m	774-205-00	1 piece

CE 0483



Dentalastics® rotation wedges

For individual tooth rotation.

Color	REF	Quantity
grey	774-003-00	100 pieces
transparent	774-000-00	100 pieces

CE 0483



Dentalastics® plastic ligatures


For ligating arch wires to brackets.

Color	Inner ø	REF	Quantity
transparent	1.3 mm	774-002-01	1000 pieces

CE 0483



Elastics and auxiliaries / Intra-oral



Dentalastics® separators

For quick and easy separation of teeth. Radiopaque (ideal setting 60 kV and 3 mA).

Color	Inner ø	Indication	REF	Quantity
green	1.5 mm	for anteriors	774-100-01	1000 pieces
blue	2.1 mm	for posteriors	774-200-01	1000 pieces

CE 0483



Elasto-Force plastic chains

Color	Inner ø	Length	Connector	REF	Quantity
transparent	1.3 mm	4.5 m	•	774-220-00	1 roll
pink	1.3 mm	4.5 m	•	774-231-00	1 roll
blue	1.3 mm	4.5 m	•	774-232-00	1 roll
red	1.3 mm	4.5 m	•	774-233-00	1 roll
metallic silver	1.3 mm	4.5 m	•	774-235-00	1 roll
transparent	1.3 mm	4.5 m		774-221-00	1 roll
blue	1.3 mm	4.5 m		774-226-00	1 roll
metallic silver	1.3 mm	4.5 m		774-229-00	1 roll
pearl	1.3 mm	4.5 m		774-236-00	1 roll

CE 0483



SUPER Elasto-Force plastic chains

Constant traction with longer period of effect. High elasticity with excellent recoil force.

Color	Inner ø	Length	Connector	REF	Quantity
transparent	1.3 mm	4.5 m	•	774-217-00	1 roll
transparent	1.3 mm	4.5 m	•	774-216-00	1 roll

CE 0483

SUPER Elasto-Force plastic chains

Consistent tensile force over a long period of time. Very high elasticity with excellent elastic recovery.

Especially flat ring shape, ideal for the lingual technique and for multiple ligatures. Extremely tear-resistant.



Color	Inner ø	Length	Connector	REF	Quantity
transparent	1.3 mm	3.5 m	•	774-210-00	1 roll
transparent	1.3 mm	3.5 m		774-211-00	1 roll

CE 0483

Dentalastics® Personal / Assortment

Colored plastic ligatures

Especially delicate plastic ligatures for ligating archwires to brackets.

Contents:

All colors (without pearl, REF 774-563-00), 4 sticks each, in total 44 sticks x 22 rings = 968 pieces

Color	Inner ø	REF	Quantity
all colors	1.3 mm	774-561-01	1 assortment



CE 0483



Dentalastics® Personal / Single packs

Colored plastic ligatures

Especially delicate plastic ligatures for ligating archwires to brackets.

Contents:

45 sticks x 22 rings = 990 pieces

Color	Inner ø	REF	Quantity
silver	1.3 mm	774-549-00	1 packet
transparent	1.3 mm	774-551-00	1 packet
black	1.3 mm	774-552-00	1 packet
white	1.3 mm	774-553-00	1 packet
pink	1.3 mm	774-554-00	1 packet
blue	1.3 mm	774-555-00	1 packet
red	1.3 mm	774-556-00	1 packet
purple	1.3 mm	774-557-00	1 packet
yellow	1.3 mm	774-558-00	1 packet
green	1.3 mm	774-559-00	1 packet
orange	1.3 mm	774-560-00	1 packet
pearl	1.3 mm	774-563-00	1 packet



CE 0483

Oral screens



Oral screen Ulmer Modell

Indications:

- incorrect functions of the tongue (pressing of the tongue, incorrect position of the tongue)
- biting the lips
- sucking the lips
- thumb sucking
- weak muscle structure of the lips

Advantages:

- no pressure points due to the flexible material
- more comfortable to wear
- better acceptance by the patient
- easy to monitor the performance of the myofunctional exercises

Special appliance containers see supplies!

Size	REF	Quantity
Mini / Size 1 = for preschool age patients	074-000-00	1 piece
Maxi / Size 2 = for patients from school age to adults	074-001-00	1 piece



Face former

acc. to Berndsen

Face Former therapy targets the cause and is holistic. Regular Face Former training actively tones tissues, muscles and skin in the mouth and face. It strengthens and harmonizes muscle functions that are particularly important for chewing, swallowing, speaking, breathing, tooth position as well as facial expressions and tightening of the skin.

Indications:

- difficulty in swallowing (dysphagia)
- incorrect functions of the tongue
- dysfunctional mastication
- speech disorders with functional causes
- curing thumb sucking, lip biting etc.
- paralysis of the oral and facial areas
- following an operation on the face, jaw or tongue
- malalignment of the teeth, anomalies in the jaw
- grinding the teeth (bruxism), temporomandibular problems
- snoring
- activation of nasal breathing, curing mouth breathing
- etc.

Color	Form	REF	Quantity
transparent blue	anatomical	074-101-00	1 piece



OrthoSafe sports guard / Assortment

The safe and comfortable guard for all types of sports. The anatomically contoured OrthoSafe can be custom fitted by briefly immersing it in hot water. The handle of OrthoSafe guarantees an optimal material thickness between the two dental arches.

Also suitable for use with multibracket appliances.

Contents:

- 5 x sports guard, Colors: transparent, pink, green, blue, yellow (each 1 x)
- 5 x plastic boxes
- 5 x grips

Cords with safety lock (REF 163-807-00) are not included in the assortment!

REF 074-200-00

1 assortment

CE



OrthoSafe sports guard / Single pack

The safe and comfortable guard for all types of sports. The anatomically contoured OrthoSafe can be custom fitted by briefly immersing it in hot water. The handle of OrthoSafe guarantees an optimal material thickness between the two dental arches.

Also suitable for use with multibracket appliances.

Contents:

- 1 x sports guard
- 1 x plastic box
- 1 x grip

Cords with safety lock (REF 163-807-00) are not included!

Color	REF	Quantity
transparent	074-201-00	1 piece
blue	074-203-00	1 piece

CE

