

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Centri™ Print UHD+ Steel
Type of product : Photopolymer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : For use in DLP Printers
For use in UV Printers

1.3. Details of the supplier of the safety data sheet

Supplier

WHW Plastics Ltd
Therm Road
HU8 7BF Hull, East Yorkshire
England
T Sales: 0800 0092 444 Head Office: 01482 329 154
Info@whwplastics.com

1.4. Emergency telephone number

Emergency number : Head Office: 01482 329 154
Info@whwplastics.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Skin sensitisation, Category 1 H317
Specific target organ toxicity – Single exposure, Category 3, H335
Respiratory tract irritation
Specific target organ toxicity – Repeated exposure, Category 2 H373
H411
Hazardous to the aquatic environment – Chronic Hazard,
Category 2
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Harmful if swallowed. May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Contains	:Proprietary (Monomer); Proprietary (Diacrylate); Proprietary (Diacrylate); Proprietary (Photoinitiator)
Hazard statements (CLP)	:H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H335 - May cause respiratory irritation. H373 - May cause damage to organs (if swallowed) through prolonged or repeated exposure. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	:P260 - Do not breathe mist, spray, vapours. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear eye protection, protective clothing, protective gloves. P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor. P312 - Call a POISON CENTRE or doctor if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label). P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Proprietary (Oligomer)	$\geq 25 - < 50$	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Name	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Proprietary (Monomer)	≥ 25 – < 50	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373
Proprietary (Diacylate)	≥ 15 – < 20	Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411 Aquatic Chronic 2, H411
Proprietary (Diacylate)	≥ 5 – < 10	Skin Irrit. 2, H315
Proprietary (Diacylate)	≥ 3 – < 5	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1A, H317
Proprietary (Photoinitiator)	≥ 0.1 – < 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 4 (Oral), H302
Proprietary (Optical Brightener)	≥ 0.1 – < 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:	
Name	Specific concentration limits (%)
Proprietary (Diacylate)	(10 ≤ C ≤ 100) STOT SE 3; H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	:Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	:Remove person to fresh air and keep comfortable for breathing. Move the affected person away from the contaminated area and into the fresh air. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	:Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	:Remove victim to fresh air and keep at rest in a position comfortable for breathing. Rinse mouth out with water. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	:May cause an allergic skin reaction. Causes serious eye damage.
Symptoms/effects after inhalation	:May cause respiratory irritation.
Symptoms/effects after skin contact	:Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	:May cause eye irritation. Serious damage to eyes.

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Symptoms/effects after ingestion :May be harmful if swallowed. May cause irritation to the digestive tract. Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

In all cases of doubt, or when symptoms persist, seek medical attention. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media :Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media :Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard :In case of fire, irritating fumes come free.
Explosion hazard : No direct explosion hazard.
Reactivity in case of fire : Corrosive vapours.
Hazardous decomposition products in case of fire :Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire :Evacuate area. Keep container closed when not in use. Keep cool. Protect from sunlight.
This product is not to be used under conditions of poor ventilation.
Firefighting instructions :In case of fire: stop leak if safe to do so. Exercise caution when fighting any chemical fire.
Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting :Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information :High temperature decomposition products are harmful by inhalation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures :Avoid contact with skin and eyes. Evacuate area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment :Wear recommended personal protective equipment.
Emergency procedures :Only qualified personnel equipped with suitable protective equipment may intervene. See section 8 of the SDS for more information on personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment :Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures :Ventilate area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas.

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

6.3. Methods and material for containment and cleaning up

For containment	: For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material. This material and its container must be disposed of in a safe way, and as per local legislation.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment. < 50 °C
Handling temperature	:
Hygiene measures	: Wear personal protective equipment. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ensure adequate ventilation, especially in confined areas. Store in a well-ventilated place. Keep container tightly closed.
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Incompatible materials for storage	: Direct sunlight.
Storage temperature	: < 50 °C
Storage area	: Store in a well-ventilated place.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal. Always store product in container of same material as original container.

Switzerland

Storage class (LK)	: LK 6.1 - Toxic materials
--------------------	----------------------------

7.3. Specific end use(s)

The identified uses for this product are detailed in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Safety glasses. Gloves.

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safetyglasses

Skin protection

Skin and body protection:

Wear suitable protectiveclothing

Hand protection:

Usebarriercream.Wash your hands. Wear protective gloves

Other skin protection

Materials for protective clothing:

Wearsuitableprotectiveclothingand gloves

Respiratory protection

Respiratory protection:

Incaseofinsufficientventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoidrelease to the environment.

Consumer exposure controls:

The substance is not classified forhuman health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Grey.
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: $\geq 65\text{ }^{\circ}\text{C}$
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Viscosity, dynamic	: Not available
Solubility	: $\geq 200 - \leq 400\text{ mPa}\cdot\text{s}$
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Relative density	:Not available
Relative vapour density at 20°C	:Not available
Particle characteristics	:Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

May be corrosive to metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	:Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Centri™ Print UHD+ Steel	
ATE CLP (oral)	1960 mg/kg bodyweight
Proprietary (Monomer)	
LD50 oral rat	588 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	5.28 mg/l/4h
Proprietary (Oligomer)	
LD50 oral rat	> 2000 mg/kg The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
LD50 dermal rat	> 5000 mg/kg The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
LC50 Inhalation - Rat	not determined
Proprietary (Diacylate)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Proprietary (Diacrylate)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Proprietary (Diacrylate)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	3650 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
Proprietary (Photoinitiator)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 (Acute Toxicity (Oral))
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: other:92/69/EEC
Skin corrosion/irritation	: Causes skin irritation.
Proprietary (Monomer)	
pH	7 – 9
Serious eye damage/irritation	:Causes serious eye damage.
Proprietary (Monomer)	
pH	7 – 9
Respiratory or skin sensitisation	:May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	:May cause respiratory irritation.
Proprietary (Diacrylate)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	:May cause damage to organs (if swallowed) through prolonged or repeated exposure.
Proprietary (Monomer)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Proprietary (Diacrylate)	
NOAEL (oral, rat, 90 days)	
	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Proprietary (Diacrylate)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Proprietary (Diacrylate)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))
Proprietary (Photoinitiator)	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: other:92/69/eec
Aspiration hazard	: Not classified
Proprietary (Monomer)	
Viscosity, kinematic	10.084 mm²/s

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Proprietary (Oligomer)

Viscosity, kinematic	> 15000 – < 21000 mm²/s
----------------------	-------------------------

Proprietary (Diacrylate)

Viscosity, kinematic	19.802 mm²/s
----------------------	--------------

11.2. Information on other hazards

Potential adverse human health effects and

symptoms

:Harmful if swallowed,Harmful in contact with skin,Irritation: severely irritant to eyes,Irritation:

Other information

may cause irritation to the respiratory system

: Likely routes of exposure: ingestion, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

:Harmful to aquatic life. Toxic to aquatic life with long lasting effects.

Ecology - water

:Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute)

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

: Toxic to aquatic life with long lasting effects.

Proprietary (Monomer)

EC50 72h - Algae [1]	120 mg/l
----------------------	----------

Proprietary (Diacrylate)

LC50 - Fish [1]	4.6 – 10 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	89 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	65.9 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Proprietary (Diacrylate)

LC50 - Fish [1]	0.38 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	2.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.09 mg/l Test organisms (species): other:
EC50 72h - Algae [2]	2.33 mg/l Test organisms (species): other:
LOEC (chronic)	0.24 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.14 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.0723 mg/l Test organisms (species): Oryzias latipes Duration: '39 d'

Proprietary (Diacrylate)

LC50 - Fish [1]	2.7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	37 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	11 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	3.4 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

Proprietary (Photoinitiator)

LC50 - Fish [1]	> 0.09 mg/l Test organisms (species): other:Zebra Fish Brachydanio rerio
-----------------	--

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Proprietary (Photoinitiator)	
EC50 - Crustacea [1]	> 1.175 mg/l Test organisms (species): other aquatic crustacea:Daphnia Magna
EC50 72h - Algae [1]	> 0.26 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

Centri™ Print UHD+ Steel	
Persistence and degradability	Not rapidly degradable
Proprietary (Monomer)	
Persistence and degradability	Not rapidly degradable
Proprietary (Oligomer)	
Persistence and degradability	Not rapidly degradable
Proprietary (Diacylate)	
Persistence and degradability	Not rapidly degradable
Proprietary (Diacylate)	
Persistence and degradability	Not rapidly degradable
Proprietary (Diacylate)	
Persistence and degradability	Not rapidly degradable
Proprietary (Optical Brightener)	
Persistence and degradability	Not rapidly degradable
Proprietary (Photoinitiator)	
Persistence and degradability	Not rapidly degradable
	Not rapidly degradable
	Not rapidly degradable

12.3. Bioaccumulative potential

Proprietary (Diacylate)	
Partition coefficient n-octanol/water (Log Pow)	2.77 Source: IUCLID

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Centri™ Print UHD+ Steel	
Other information	Avoid release to the environment.

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

:Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

:Disposal must be done according to official regulations.

:Avoid release to the environment. Comply with applicable regulations for solid waste disposal. Dispose in a safe manner in accordance with local/national regulations. Disposal must be done according to official regulations.

Additional information



:Clean up even minor leaks or spills if possible without unnecessary risk. Consult an expert on waste disposal or treatment. Do not re-use empty containers.

Ecological waste information

:Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. contains Tripropylene glycol diacrylate	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. contains Tripropylene glycol diacrylate	Environmentally hazardous substance, liquid, n.o.s. contains Tripropylene glycol diacrylate	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. contains Tripropylene glycol diacrylate	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. contains Tripropylene glycol diacrylate
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. contains Tripropylene glycol diacrylate, 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. contains Tripropylene glycol diacrylate, 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. contains Tripropylene glycol diacrylate, 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. contains Tripropylene glycol diacrylate, 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. contains Tripropylene glycol diacrylate, 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classificationcode (ADR)	:M6
Special provisions (ADR)	274, 335, 375, 601, 650
Limited quantities (ADR)	5l
Excepted quantities (ADR)	E1
Packing instructions (ADR)	P001, IBC03, LP01, R001
Special packing provisions (ADR)	PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	AT
Transport category (ADR)	3
Special provisions for carriage - Packages (ADR)	V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	: 
Tunnel restriction code (ADR)	: -
EAC code	: •3Z

Transport by sea

Special provisions (IMDG)	274, 335, 375, 969
Limited quantities (IMDG)	5 L
Excepted quantities (IMDG)	E1
Packing instructions (IMDG)	LP01, P001
Special packing provisions (IMDG)	PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
Stowage category (IMDG)	: A

Air transport

PCA Excepted quantities (IATA)	E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

Inland waterway transport

Classificationcode (ADN)	:M6
Special provisions (ADN)	: 274, 335, 375, 601, 650
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classificationcode (RID)	:M6
Special provisions (RID)	: 274, 335, 375, 601, 650
Limited quantities (RID)	: 5L

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	:W12
Special provisions for carriage - Loading, unloading and handling (RID)	:CW13, CW31
Colis express (express parcels) (RID)	
Hazard identification number (RID)	: CE8
	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)
Contains substance(s) listed on the REACH Candidate List < 0.1% or SCL.
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)
Not listed on the Ozone Depletion list (Regulation EU 2024/590)
Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)
Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items
Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)
Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)
Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Occupational diseases	
Code	Description
RG 65	Eczematiform lesions of allergic mechanism

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Germany

VOC ordinance (ChemVOCFarbV)

:

Employment restrictions

:Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK)

:WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Override matching entry (12. BImSchV)

:Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

SZW List of Carcinogenic Substances

:None of the components are listed

SZW List of Mutagenic Substances

:None of the components are listed

SZW List of Reprotoxic Substances – Breastfeeding

:None of the components are listed

SZW List of Reprotoxic Substances – Fertility

:None of the components are listed

SZW List of Reprotoxic Substances – Development

:None of the components are listed

Denmark

Classification remarks

:Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with it.
If an employee is pregnant or breastfeeding and the person in question uses or is exposed to this product at work, the employer must always carry out a risk assessment of the work. The assessment must both deal with the dangerousness of the impact and its strength and duration. The employer's decision that a pregnant or lactating woman can perform a specific work task must therefore be made in the context of her specific working conditions. See also WEA-Guideline A.1.8-7 on the working environment of pregnant and breastfeeding workers.

Poland

Polish National Regulations

:Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o L. 2023, item 891)
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as amended)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

SECTION 16: Other information

Abbreviations and acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstracts Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment

Centri™ Print UHD+ Steel

Safety Data Sheet

SDSEUformataccordingtoCOMMISSION REGULATION (EU) 2020/878

Abbreviations and acronyms:

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs (if swallowed) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

New SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.