# DENTAURUM Summer



0800 0092 444

whw Behind every smile **CROWN & BRIDGE CROWN & BRIDGE** 

ceraMotion® One Touch No Limits contains ready to use colour coordinated 2D and 3D pastes, specially developed to go a step further in the aesthetics of all ceramic restorations and recreate in-depth effects of the natural teeth. The new 3D pastes are the first dentines in a paste, which increase the thixotropic effect, the new shades and translucency, retaining the dynamic light. All the ceraMotion® One Touch 2D and 3D pastes, liquids and ceraMotion® Stains Universal

Kit contains: 3g paste glaze bright, 3g 3D dentine bleach, 3g 3D dentine light, 3g 3D dentine medium, 3g 3D dentine dark, 3g 3D transparent, 3g 3D incisal opal bright, 3g 3D I3, 3g 2D

Code: 38250-801-70

£379.95



Has the same outstanding characteristics as CeraMotion®

Code	Size
38250-272-03	39



£23.95



The original and hugely popular ceraMotion® One Touch are 2D and 3D pastes that have been specially developed for the finish and characterisation of all ceramic monolithic restorations, made from lithium disilicate or zirconia.

Kit contains: 3g paste glaze, 3g 3D incisal I2, 3g 3D lumin, 3g 3D neutral, 3g 3D opal blue, 3g 3D opal grey, 3g opal honey, 3g 2D body A, 3g 2D body B, 3g 2D body C, 3g 2D body D, 3g 2D white, 3g 2D grey, 3g 2D honey, 3g 2D blue, 3g 2D violet, 10ml diluting liquid, 10ml refreshing liquid, 2D brush, 3D brush

Code: 38250-800-70

£369.95







3D pastes for the aesthetic finalisation and characterisation of the gingiva coloured parts of ceramic restorations, made

3, 3g 3D gingival 4, 3g 3D gingival white, 3g 3D gingival

Code: 38250-803-70

£219.95





Groundbreaking glazing paste for lithium disilicate that has incredible levels of fluorescence. When fired, the material becomes glass clear and the perfect surface for staining.

Code	Size	C47.05
38250-271-03	<b>3</b> g	£17.95
	sa\	ving <b>20%</b>



Ring liner for easier deflasking after casting inside

ease arry toxic rui	Hes.		
ode	Size	Dimensions	Sac
3127-250-00	25m	50 x 1mm	£19
2127 251 00	15m	50 y 2mm	



Code	Size
38190-302-00	50g





£10.95



### **DENTAURUM LINGUAL BARS**

Anatomically shaped stainless steel bars.

Code	Description	Pack	Dimensions
38311-306-30	6cm	10pcs	3 x 1.5mm
38311-307-30	7cm	10pcs	3 x 1.5mm
38311-308-30	8cm	10pcs	3 × 1.5mm



# **NONINIUM® BALL ENDED CLASPS**

Nickel free, exceptional quality ball clasps with a strength of 1400-1600 N/mm2





SOF 45	Size	Pack	Description	Code
£25.45	0.7mmø	100pcs	Small	38620-207-02
	o.8mmø	100pcs	Medium	38620-208-02
saving 1	0.ommø	100pcs	Large	38620-209-02

ving **15%** 

# **DENTAURUM WIRE MESH**

Stainless steel fine mesh with 24ct gold plating.





Code	Pack	Dimensions
38316-210-00	1pc	100 x 100mm

£19.95

# **REMANIUM® GM 380+**

Time-tested, spring hard alloy.

Tensile strength	900MPa
Elongation A5	6.5%
Modulus of elasticity E	220 GPa

Code: 38102-001-10 Size: 1kg £149.95 saving 30%



MINI W		
Stainless steel, with wide	3	
expansion screw holder	, i	
and built in stops that		
prevent the screw from		
coming apart.		
Maximum expansion		
- 6.5mm		
4 x 1/4 turn = 0.7mm		
3 x 6.5 x 10mm		

Code	Pack	£14.95
38600-320-30	10pcs	£14.95

saving 40%

### **MEDIUM W**

Stainless steel, with wide expansion screw holder and built in stops that prevent the screw from coming apart.

Maximum expansion

- 7.5mm

4 x 1/4 turn = 0.8mm
3.1 × 7.3 × 11mm

Code	Pack
38600-321-30	10pcs

saving 40%

£14.95

### MAXI W

Stainless steel, with wide expansion screw holder and built in stops that prevent the screw from coming apart.

Maximum expansion

- 7.5mm

4 x 1/4 turn = 0.8mm

Codo	Dock	

saving 40%

£14.95

### DENTAURUM O-ATLAS II

Ursula Wirtz presents an all-new version of the orthodontic compendium, O-Atlas.

Designed as a work and study aid, the pictorial reference guide can be used by both the technician and orthodontist. The hardback book has more than 1000 illustrations and photos and gives precise, clear information on how to make 235 appliances which features 44 new ones and over 800 new HD images.

Code: 38903-920-20	260.05
	£69.95

saving 30%

## **HYRAX® CLICK MINI 7**

RPE screw with click feature to prevent unwanted reversing. The activation/ deactivation of every quarter turn is acknowledged by a perceptible click.

Screw body: 9.8mm

Maximum expansion: 7mm

4 x 1/4 turn = 0.8mm



Code	Description	Pack	£22.0F
38602-830-10	Straight	1pc	£22.95
38602-831-10	Angulated	1pc	

saving 20%

# HYRAX® CLICK MEDIUM 10

RPE screw with click feature to prevent unwanted reversing.
The activation/ deactivation of every quarter turn is acknowledged by a perceptible click.
Screw body: 12.8mm
Maximum expansion: 10mm
4 x 1/4 turn = 0.8mm

Code	Description	Pack	£22.05
38602-832-10	Straight	1pc	£22.95
38602-833-10	Angulated	1pc	

saving 20%

# **HYRAX® CLICK MAXI 12**

RPE screw with click feature to prevent unwanted reversing. The activation/deactivation of every quarter turn is acknowledged by a perceptible click.

Screw body: 14.8mm Maximum expansion: 12mm 4 x 1/4 turn = 0.8mm



Code	Description	Pack	£22.05
38602-834-10	Straight	1pc	£22.95
38602-835-10	Angulated	1pc	

saving 20%

### **MEGAPULS COMPACT**

Exceptionally compact, high frequency induction casting machine.

# 3 year warranty.

- Very short melting cycle
- Capable of 25 castings in succession
- HF coil is lowered automatically



Code	Size	Dimensions	\$7.20F
38090-620-00	55kg	580 x 560 x 400mm	£7,395

saving 20%

# **POLYCLAV® PRESSURE VESSEL**

With a capacity of 4 litres, the easy to use Polyclav® is suitable for the polymerisation of all cold curing devices.



Code	Size	Dimensions	C250.05
38070-000-00	3.2kg	200ø x 180mm (bowl)	£259.95

saving 20%

### **DESKTOP COMPACT LASER WELDER**

This extremely compact table top laser welding unit is flexible enough to cover all welding requirements as the dose can be adjusted. From delicate detailed welding to securing joints from fractures and breakages. **Requires argon regulator.** 

- Clear and user-friendly touch screen
- High output reserve
- Ergonomically designed large working chamber
- High quality microscope with a wide field of vision
- Large pulse adjustment range easy operation using joysticks
- Integrated extraction and cool air nozzle
- Adjust the power and intensity of the weld
- Maximum power 50W
- Peak pulse output 5000W
- Pulse energy 50J
- Welding diameter 0.2 2mm



Code	Size	Dimensions	\$4.4.00E
38090-578-50	50kg	645 x 510 x 430mm	£14,995
			wing 20%

saving 20%

### ARGON REGULATOR

Code		
38090-404-00	£99	
	- and and	dia di dia
		4 8
		THE RESERVE TO THE PARTY OF THE

# UNIVERSAL



that can be disinfected.

Code	Description	Pack
38150-204-00	#U4 Extra large upper (green)	20pcs
38150-224-00	#L4 Extra large lower (green)	20pcs
38150-203-00	#U3 Large upper (blue)	20pcs
38150-223-00	#L3 Large lower (blue)	20pcs
38150-202-00	#U2 Medium upper (red)	20pcs
38150-222-00	#L2 Medium lower (red)	20pcs
38150-201-00	#U1 Small upper (yellow)	20pcs
38150-221-00	#L1 Small lower (yellow)	20pcs

£12.45

saving 25%



Offers are valid from July 1st to August 30th 2019

### **WHW Plastics Ltd**

Therm Road, Hull, East Yorkshire, HU8 7BF United Kingdom tel +44 (0)1482 329 154 • fax +44 (0)1482 217140

• email: sales@whwplastics.com • website: www.whwplastics.com













PRICES ARE EXCLUSIVE OF VAT AND DELIVERY STANDARD TERMS AND CONDITIONS APPLY

