according to Regulation (EC) No 1907/2006

### **Orthocryl-liquid**

Revision date: 11.07.2018

Product code: 161-100

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Orthocryl-liquid

### Further trade names

Article No.: 160-501-00, 160-502-00, 160-600-00, 161-100-00, 161-127-00, 161-128-00, 161-129-00, 161-130-00, 161-131-00, 161-132-00, 161-133-00, 161-134-00, 161-135-00, 161-136-00, 161-137-00, 161-138-00, 161-150-00, 161-300-00, 161-350-00, 161-912-00

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Health services.

### 1.3. Details of the supplier of the safety data sheet

Company name:	DENTAURUM GmbH & Co. KG	
Street:	Turnstr. 31	
Place:	D-75228 Ispringen	
Telephone:	+49 7231 803 0	Telefax: +49 7231 803 295
e-mail:	info@dentaurum.de	
Internet:	www.dentaurum.com	
Further Information		
<b>F</b>		

Emergency telephone: 07:00 - 16:15 (Mo - Do), 07:00 - 13:15 (Fr) 16:15 - 18:00 (Mo - Do), 13:15 - 18:00 (Fr) +49 7231 803 184 +49 7231 803 0

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 Hazard categories: Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation.

### 2.2. Label elements

### Regulation (EC) No. 1272/2008

Hazard components for labelling methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate ethylene dimethacrylate

Signal word: Danger

**Pictograms:** 



### Hazard statements

ŀ	122	25
ŀ	131	15

Highly flammable liquid and vapour. Causes skin irritation.

#### according to Regulation (EC) No 1907/2006

	<b>Orthocryl-liquid</b>	
Revision date: 11.07.2018	Product code: 161-100	Page 2 of 9
H317	May cause an allergic skin reaction.	
H335	May cause respiratory irritation.	
Precautionary statemer	nts	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
2.3. Other hazards		
none		

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate red, pink-transparent : colour index S.R. 111, S.R.52 green: colour index S.B.97, S.Y.93 blue: colour index S.B. 97 yellow: colour index S.Y. 93 hot pink: colour index D.V.26, D.V.31 türkis: colour index S.B. 67 smaragdgrün: colour index S.B. 67, S.Y. 93 violet: colour index S.B. 97, S.V. 36 neongelb: colour index S.Y. 98 neonorange: colour index S.Y. 98 neongrün: colour index S.B. 67, S.Y. 93 neongrün: colour index S.B. 67, S.Y. 93 neongrün: colour index S.B. 67, S.Y. 93

#### Hazardous components

CAS No	Chemical name		Quantity		
	EC No	Index No	REACH No		
	Classification according to Regula	tion (EC) No. 1272/2008 [CLP]			
80-62-6	methyl 2-methylprop-2-enoate; me	thyl 2-methylpropenoate; methyl meth	hacrylate	> 90 %	
	201-297-1	607-035-00-6			
	Flam. Liq. 2, STOT SE 3, Skin Irrit. 2, Skin Sens. 1; H225 H335 H315 H317				
97-90-5	ethylene dimethacrylate				
	202-617-2	607-114-00-5			
	STOT SE 3, Skin Sens. 1; H335 H317				
2440-22-4	2-(2H-Benzotriazol-2-yl)-p-cresol				
	219-470-5				
	Skin Sens. 1B, Aquatic Chronic 1; H317 H410				

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. Medical treatment necessary.

# After contact with skin

After contact with skin, wash immediately with: Water and soap. Subsequently wash off with: Polyethylene glykol 400. Remove contaminated, saturated clothing immediately. Medical treatment necessary.

#### according to Regulation (EC) No 1907/2006

### **Orthocryl-liquid**

Revision date: 11.07.2018

Product code: 161-100

Page 3 of 9

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

### After ingestion

If swallowed, immediately drink: Water. Caution if victim vomits: Risk of aspiration! Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache. drowsiness. Causes skin and eye irritation. Skin sensitisation

#### 4.3. Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray. Carbon dioxide (CO2). Foam. Extinguishing powder.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Disposal: see section 13 Safe handling: see section 7 Personal protection equipment: see section 8

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe vapour. Vapours are heavier than air and will spread at floor level. Provide fresh air.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. Use non-sparking tools.

### 7.2. Conditions for safe storage, including any incompatibilities

#### according to Regulation (EC) No 1907/2006

### **Orthocryl-liquid**

Revision date: 11.07.2018

Product code: 161-100

Page 4 of 9

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition - No smoking. Keep/Store only in original container. Protect against: Light.

## Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

### 7.3. Specific end use(s)

none

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
80-62-6	Methyl methacrylate	50	208		TWA (8 h)	WEL
		100	416		STEL (15 min)	WEL

#### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe vapour.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink. Avoid contact with eyes and skin. Separate storage of work clothes.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

#### Recommendation:

Dermatril 740 Single-use gloves. NBR (Nitrile rubber). 0,11 mm penetration time (maximum wearing period): 0 min. REF 162-907-00 (7/S), REF 162-908-00 (8/M), REF 162-909-00 (9/L)

Camapren 720, CR (polychloroprenes, Chloroprene rubber). 0,65 mm penetration time (maximum wearing period): > 10 min, KCL

#### Skin protection

Protective clothing

**Respiratory protection** 

Do not breathe vapour.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid various, depending on coloration like: ester	
		Test method
pH-Value:	not appli	cable
Changes in the physical state		
Melting point:	_4	48 °C
Initial boiling point and boiling range:	100	0,3 °C

according to Regulation (EC) No 1907/2006

	Orthocryl-liquid	
Revision date: 11.07.2018	Product code: 161-100	Page 5 of 9
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
Flash point:	10 °C	DIN 51755
Sustaining combustion:	No data available	
Flammability		
Solid:	No data available	
Gas:	No data available	
Explosive properties No data available		
Lower explosion limits:	2,1 vol. %	
Upper explosion limits:	12,5 vol. %	
Ignition temperature:	430 °C	DIN 51794
Auto-ignition temperature		
Solid: Gas:	No data available No data available	
Decomposition temperature:	No data available	
Oxidizing properties No data available		
Vapour pressure: (at 20 °C)	38,7 hPa	
Vapour pressure:	No data available	
Density (at 20 °C):	0,94 g/cm <sup>3</sup>	
Bulk density:	No data available	
Water solubility: (at 20 °C)	15,9 g/L	
Solubility in other solvents miscible with most organic solvents		
Partition coefficient:	Distribution coefficient (n-octanol / water) (log P O/W): 0,7	
Viscosity / dynamic: (at 20 °C)	Brookfield 0,63 mPa·s	
Viscosity / kinematic:	No data available	
Flow time:	No data available	
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
.2. Other information		
Solid content:	No data available	
Relative vapour density at 20 °C (air=1): > 1 Odour threshold: 0,5 - 1,0 ppm		

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

according to Regulation (EC) No 1907/2006

Revision date: 11.07.2018

Product code: 161-100

Page 6 of 9

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Reacts with : Reducing agents. Heavy metals. Peroxides. Radical former. In case of warming: Polymerization.

#### 10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

#### 10.5. Incompatible materials

Reducing agent. Amines. Heavy metals. Peroxides. Oxidizing agents.

#### 10.6. Hazardous decomposition products

none

#### Further information

Thermal decomposition: at room temperature none

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Acute toxicity

Acute toxicity (inhalant): 7093 ppm 4h

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
80-62-6	methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate						
	oral	LD50 > 5000 mg/kg	Rat				
	dermal	LD50 > 5000 mg/kg	Rabbit				

#### Irritation and corrosivity

Irritant effect on the skin: Not an irritant. 24h Irritant effect on the eye: Not an irritant. Following inhalation: Lung irritation. Coughing. shortage of breath.

#### Sensitising effects

May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Longterm experiments do not indicate carcinogenic effects. No experimental indications of mutagenicity in-vitro exist.

#### STOT-single exposure

May cause respiratory irritation.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Algae toxicity:EC50: 37 mg/l 8d Bacterial toxicity: Pseudomonas putida 100 mg/l

#### according to Regulation (EC) No 1907/2006

### **Orthocryl-liquid**

Revision date: 11.07.2018

Product code: 161-100

Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
80-62-6	methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate						
	Acute fish toxicity	LC50 mg/l	> 79		Oncorhynchus mykiss (Rainbow trout)		
	Acute crustacea toxicity	EC50	69 mg/l	48 h	Daphnia magna		
97-90-5	ethylene dimethacrylate						
	Acute fish toxicity	LC50 mg/l	15,95		Brachydanio rerio (zebra-fish)		
	Acute crustacea toxicity	EC50 mg/l	44,9	48 h	Daphnia magna		

### 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria).

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

none

#### 12.5. Results of PBT and vPvB assessment

### No

#### 12.6. Other adverse effects

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Advice on disposal

Send to a hazardous waste incinerator facility under observation of official regulations.

#### Waste disposal number of used product

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures; hazardous waste

### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1247
14.2. UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2

according to Regulation (EC) No 1907/2006

	Orthocryl-liquid	
Revision date: 11.07.2018	Product code: 161-100	Page 8 of 9
Hazard No:	339	
Tunnel restriction code:	D/E	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 1247	
14.2. UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED	
<u>14.3. Transport hazard class(es):</u>	3	
14.4. Packing group:		
Hazard label:	3	
Special Provisions:	• • • • • • • • • • • • • • • • • • •	
Limited quantity:	1L	
Excepted quantity:	E2 F-E, S-D	
	F-E, 5-D	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:		
14.2. UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED	
14.3. Transport hazard class(es):	3	
14.4. Packing group: Hazard label:	 3	
Special Provisions: Limited quantity Passenger:	A209 1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 364	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	60 L	
<u>14.5. Environmental hazards</u>		
ENVIRONMENTALLY HAZARDOUS:	20	
14.6. Special precautions for user	no	
Yes.		
14.7. Transport in bulk according to Annex Authorisations: SECTION 15: Regulat		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
National regulatory information		
Water contaminating class (D):	1 - slightly water contaminating	
Additional information	betances of your high concern $(S)/U(C)$ which are included in the	
Candidate List according to Article 59	bstances of very high concern (SVHC) which are included in the of REACH: none	

according to Regulation (EC) No 1907/2006

### **Orthocryl-liquid**

Revision date: 11.07.2018

Product code: 161-100

Page 9 of 9

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 7,16. Indication of changes: SECTION 2: Hazards identification SECTION 4: First aid measures SECTION 6: Accidental release measures SECTION 7: Handling and storage SECTION 7: Handling and storage SECTION 8: Exposure controls/personal protection SECTION 9: Physical and chemical properties SECTION 10: Stability and reactivity SECTION 10: Stability and reactivity SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 14: Transport information SECTION 15: Regulatory information

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)