OFFERS ASSEMBLED

Win an Incredible MATE X BIKE

0800 0092 444



BAUSCH ARTICULATING HORSESHOE

Horseshoe shaped articulating paper that provides a precise reading of the distributed masticatory force.

Code	Description	Pack	Size
BK03	Blue	50pcs	200µ
BK04	Red	50pcs	200µ



XXXXX

Buy either for £11.16 saving 20%

BAK-FIN		
Code	Description	Pack
04BFP6	Pen point trimmer blades	5pcs

	Only £ 6.71 saving 10 %		
Code	Description	Pack	
04PPT	Handle	1pc	

Only **£9.56** saving **20%**

ORTOTYPO4®

Pure white, extra	hard orthodontic stone.		
Туре	Class IV		
Mixing ratio	22ml/100g		Ortot
Expansion	0.08%		ULUE
Strength (24hrs)	1051kg/cm ²		Birth and Bar
Setting time	7 mins		- 1984
Code	Description	Size	
660S4	White	25kg	

Only **£52.16** saving **10%**

JSP[®] P₃V

Code

BK01

BK02

Code

106SELM50

Valved, charcoal filtered face masks for high risk hazardous materials.

BAUSCH STRIPS (WITH DISPENSER)

a precise reading of the distributed masticatory force.

Articulating paper, supplied in a handy dispenser that provides

ode	Pack
iMP3	10pcs

Only **£23.96** saving **20%**

Pack

300pcs

300pcs

Size

200µ

200µ

Pack

50pcs





50CSS 400ml	Code	Size
	50CSS	400ml



3 LAYER SURGICAL MASK

Ear loop, single use, type 2 surgical mask.

Description

Blue

Red



Only £10.78 saving 55%

SCHÜTZ WAM 70

Intensive, residue free wax solvent for all boiling out units. Supplied as a concentrate, only 30ml of solution is required per 10 litres of water.

Code	Size
07WAM70	5ltr

Only **£62.96** saving **10**%





JSP[®] P2V

Valved, general purpose face masks for dust and debris.



Only **£11.86** saving **15%**

Pack

10pcs


CENTRI™ SS SILICONE SPRAY

All purpose mould release/silicone lubricant.

Buy two for £9.73 saving 30%

EVE UNIVERSAL

- Suitable for use with **porcelain**, **precious alloy and acrylic**
- S Universal first step in the polishing process
- Soft silicone bonding adapts to the surface being processed
- Incredibly flexible
- Various shapes for different applications
- Silicon carbide abrasive



CENTRI™ PRINT UHD

Low odour, ultra-high definition printing resin for use in printers with a wavelength of 405nm. Designed for the fast and accurate printing of all dental models including crown and bridge. The resin is hard but offers a smooth finish. Supplied in UV protected bottle.

XY RESOLUTION: 0.030mm Z RESOLUTION: 0.030mm

Code	Description	Size
CPUHDG	Graphite	1kg
CPUHDP	Parchment	1kg



Please scan this QR for technical printing specifications, post-processing information (irrespective of whether you are using an ultrasonic or not) and to even order your first bottle!



Only **£36.95**

INTER CURE PROCESS UNIT

Our **NEW** Inter Cure processing unit is made from plastic coated galvanised steel with a new heater that heats up quicker than ever and with a fully insulated tank will keep the water at a much higher ambient temperature, saving time and money as the machine reaches the processing parameters quicker. With a capacity of 6 x 3 flask compressors, the machine is capable of single or two stage processing. The digital display shows the relevant temperature feedback.

Code	Size	Dimensions
01IPU	18kgs	565 x 370 x 610mm

inter cure \sim

Only £924.95

DENTAURUM REMANIUM® STAR

- Premium CoCr bonding alloy
- S Exceptional melting and flow behaviour
- 😒 Easy to polish
- 😒 No oxide firing required
- Suitable for a huge variety of indications including long span bridges and implant supported supra-structures
- Contraction Contractic Cont
- 🗘 CTE 14.1

Code	Size	Со	Cr	W	Si
38102-620-00	1kg	60.5	28	9	1.5

Only **£134.96** saving **25%**

Only **£25.17** saving **30%**

Size

400g



on CoCr alloys.

Code

38190-350-00

DENTAURUM COMPACT LASER WELDER

This extremely compact table top laser welding unit is flexible enough to cover all welding requirements as the dose can be adjusted. From delicate detailed welding to securing joints from fractures and breakages. **Requires argon** regulator.

- Clear and user-friendly touch screen
- High output reserve
- Sergonomically designed large working chamber
- High guality microscope with a wide field of vision
- Large pulse adjustment range easy operation using joysticks
- Integrated extraction and cool air nozzle
- C Adjust the power and intensity of the weld
- Maximum power 50W
- Peak pulse output 5000W
- Pulse energy 50J
- 😒 Welding diameter 0.2 2mm

Code	Size	Dimensior
38090-578-50	50kg	645 x 510 x 430mr

Only £14,894.96 saving 25%

ARGON REGULATOR

Interface between the laser welder and the argon gas.

Code

38090-404-00

Only £**173.96** saving **25**%

DENTAURUM REMA® DYNAMIC S

Modern investment that allows flexibility in the preheating stage by offering speed preheating and partial speed preheating. Easy to use with impressive accuracy, even with complicated structures.

Code	Size
38105-610-50	50 x 400g

Only **£67.96** saving **15**%









OFFERS ASSEMBLED

DENTAURUM ORTHOCRYL® LC

Orthocryl® LC acrylic offers undeniable advantages - it's lightcurable, time-saving and extremely easy to use. Orthocryl® LC has been especially designed to meet the requirements for fabricating orthodontic appliances but it can also be used to make drill templates for implantology, bite plates and antisnoring devices. The material is completely biocompatible and odourless since it does not contain any harmful methyl methacrylate (MMA) or dibenzoyl peroxide.





Code	Description	Size
38160-401-00	Clear	30g
38160-402-00	Transparent pink	30g
38160-404-00	Blue	30g

Only **£25.17** saving **40%**

DENTAURUM ORTHOCRYL LC® STARTER BUNDLE



Only **£13.56** saving **15**%

DENTAURUM PREFORMED GRID STRENGTHENERS

Preformed into the dental arch shape for added ease of use, the numerous round 2.5mmø perforations provide an excellent bond to ensure a strong, stabilised appliance.

CodeDescriptionPack38318-004-00Stainless steel10pcsOnly £26.21 saving 25%CodeDescriptionPack38318-104-0024ct gold plated10pcsOnly £63.67 saving 35%	1988			
CodeDescriptionPack38318-104-0024ct gold plated10pcs	102	Pack	Description	Code
CodeDescriptionPack38318-104-0024ct gold plated10pcs		10pcs	Stainless steel	38318-004-00
CodeDescriptionPack38318-104-0024ct gold plated10pcs	-0/			
38318-104-00 24ct gold plated 10pcs	5%	saving 25	Only £26.2 1	
		Pack	Description	Code
Only £63.67 saving 35%		10pcs	24ct gold plated	38318-104-00
	- 9/	7 25	ontu 62 6 7	
) /0	saving 35		

DENTAURUM REMADUR

Solvent free cold model hardener, low viscosity and environmentally friendly.

Code	Size
38167-301-00	1ltr

Only **£19.46** saving **25%**

DENTAURUM CoCr WELDING WIRE

Welding wire suitable for use with any laser welder.

ľ	Î	
Code	Description	Size
38528-200-10	0.5mm	2m
38528-210-10	0.35mm	2m
38528-215-10	0.25mm	2m





Co Cr Mo

28 5.5

DREVE LABORSIL CLEAR

Fast curing, transparent silicone that is suitable for direct light curing on the model. With a final hardness of 70 Shore A and working time of 30 seconds. The new clear silicone has a curing time of only 2 minutes.

Code	Size
D38396	2 x 50ml



Only **£29.96** saving **25**%

Don't have a cartridge gun? Buy our Centri™ Gun for only £30!

SCHICK G2 CONCEPT MODEL SAW

Until now, saw cuts on many models had to be made manually due to the limited space between the preparation boundary or irregularities in the alignment of stumps. In addition to the increased risk of injury, this mode of operation can also increase the risk of damage to the plaster model and is very time consuming. The G2 Concept's power and precision dramatically reduces these issues. Once the model is placed on the saw table and fixed with two hands, the integrated line laser allows precise positioning of the cut. When lowering the saw table, the saw blade plunges into the model from below and sets a clean cut parallel to the pins. The exact depth of cut can now be determined optically by the laser guidance system. The balance of the cut line is then broken by hand at the intended break point. Since the saw cuts are parallel to each other, all model segments can be easily removed from the model.

0.3mm

7,500 rpm

Size

Cutting depth maximum 26.5mm

Width of cut

99SCH1500/5

Code



			~
Code	Description	Size	Dimensions
99SCH9340/5	Knee Control	902g	210 x 95 x 203mm
99SCH9350/5	Foot Control (up to 40,000 rpm)	1.8kg	220 x 155 x 75mm
99SCH9550	Table Top	720g	155 X 155 X 75mm

SCHICK DYNAMIC FOOT CONTROL

control.

Code

99SCH9440

Touch sensitive foot pedal that gives the user full speed

SCHICK Q PROFI

pollution and premature wear.

the Q Profi represents power, efficiency and style.

Only £1,201.01 saving 15% WSL

Only £187.46 saving 25%

Suitable for the most difficult grinding, separating and milling operations, the Q Profi manages

them all with ease. With an optimisable speed range of between 1,000 – 50,000 rpm and 8 Ncm,

The soft grip, precisely balanced handpiece creates the benchmark in comfort and control. The

shape of the handpiece and the integrated sealing system provides excellent protection against

Pic



Only £2,453.21 saving 25%

4.5kg 390 x 375 x 160mm

Dimensions

SCHICK Q3

The new Q3 series from Schick offers unbeatably high performance parameters with up to 60,000 rpm and 11 Ncm torque. Thanks to the latest technology, the speed can be regulated extremely precisely and is therefore ideally suited for processing even the most demanding dental materials.

VERSATILE AND RELIABLE

All the information you need is clearly displayed on the bright OLED display and can be easily read from all angles. Additional functions such as forward/reverse and cruise control are easily activated using direct selection buttons on the control unit.

WELL BALANCED

The ultra-light and ergonomically perfectly balanced motor hand piece, already known from the QUBE II, prevents symptoms of fatigue in the wrist and provides the user with maximum support in their daily work in the laboratory.

BASIC



Code	Description	Speed	Torque	Pic
99SCH10765	Knee	200 – 40,000rpm	7Ncm	1
99SCH10768	Foot	200 – 40,000rpm	7Ncm	2
99SCH10773	Table top (no pedal)	200 – 40,000rpm	7Ncm	3

Only £1,346.96 saving 25% WSL

SCHICK Q3 POWER STICK

Incredible innovation that allows pre-existing Q3 Basic and Q3 Profi micromotors to get a power upgrade. Simple to fit, the Power Stick increases the RPM by 10,000 and the torgue by 2Ncm.

Code

99SCH10745

Only £237.96 saving 15% WSL



Code	Description	Speed	Torque	Pic
99SCH10785	Knee	200 – 60,000rpm	11Ncm	1
99SCH10788	Foot	200 – 60,000rpm	11Ncm	2
99SCH10793	Table top (no pedal)	200 – 60,000rpm	11Ncm	3

Only £1,646.96 saving 25% WSL



Only £46.71 saving 15% WSL

DENTAURUM 3D SEPARATOR

Isolator specifically designed for the separation of acrylic and 3D printed models.

Code	Size
38162-801-00	100ml

Only £**29.95**

DENTAURUM EXPANSION SCREWS

Stainless steel, with **wide** expansion screw holder and built in stops that prevent the screw from coming apart.

Code	Expansion	Pack
38600-320-30	6.5mm (4 x ¼ turn = 0.7mm / 3 x 6.5 x 10mm)	10pcs
38600-321-30	7.5mm (4 x ¼ turn = 0.8mm / 3.1 x 7.3 x 11mm)	10pcs
38600-322-30	7.5mm (4 x ¼ turn = 0.8mm / 3.2 x 9.5 x 11mm)	10pcs

Only **£18.17** saving **30%**

ULTRAROCK

Premium extra hard die stone, with high definition and excellent dimensional stability.

Туре	Class IV		14	218
Mixing ratio	20ml/100g			-
Expansion	0.08%			REPORTS:
Strength (24hrs)	900kg/cm ²			rock
Code	Description	Size		25×0
83KBURB25	Beige	25kg		-
83KBURP25	Pink	25kg		
83KBURVY25	Vivid Yellow	25kg		



Only £**59.35** saving **10%**

RENFERT SIMPLEX

The new SIMPLEX dental 3D filament printer is intuitive and simple. With its unique advantages, the SIMPLEX stands out from other contemporary solutions. With the dental slicer software you can reliably print models that meet processing requirements and do not pose a risk either to health or to the environment. Ideal for orthodontics, utilising the filament models in conjunction with orthodontic acrylic.

- Reliable and easy to use thanks to the "Plug and Print" concept
- High precision thanks to a level resolution of up to 50µm
- S Extremely quiet (49dB)
- Processing reliability thanks to a filament monitoring system
- Seasy to use because of the dental slicer software
- Solution No post-processing (no cleaning, no curing)
- Low printing and material costs

Code	Size	Dimensions
87R17350000	16.3kg	635 x 415 x 500mm

Only £2,995 - PRE-ORDER YOURS

RENFERT SIMPLEX FILAMENT

Dentistry-specific bio filaments for the SIMPLEX 3D printer. High-quality and eco-friendly filament for the printing of orthodontic models.

Code	Siz
37R17350200	800











OFFERS ASSEMBLED

RENFERT SILENT COMPACT

Compact extraction for either one appliance or a single workplace.

- S Low maintenance brushless motor with a guaranteed 1,000 hours of operation
- Tuneable auto extraction
- S No dust bags to change due to bag-free fine filter technology, including mechanical filter cleaning
- Simple to use and with two suction levels



Code	Size	Dimensions
87R2934000003	13.2kg	500 x 245 x 440mm

Only **£893.72** saving **16%**

RENFERT POWER STEAMER

The POWER steamer 1 and 2 set new standards in reliability and durability for a steam cleaner. They impress with their outstanding cleaning performance and can be filled manually (POWER steamer 1) or automatically using an integrated pump (POWER steamer 2).

- Contract The heating element is cast inside the floor of the boiler to protect it against water, limescale and chemicals
- Real-time limescale measurement and display (2 levels) to ensure the cleaner is maintained correctly
- Simple cleaning of the pressure tank thanks to an extra large service opening
- Continuous and effective cleaning performance thanks to 2,000W and 4.5 bar working pressure in combination with innovative steam nozzle technology

Code

87R18450000

Power Steamer 1 only £1595.95- PRE-ORDER YOURS

Code

87R18460000

Power Steamer 2 only £2495.95- PREORDER YOURS

,	C 211	
С		F
er		
5)		-



and undistorted surfaces. Code Size 200ml 87R17310000

Only **£44.17** saving **35**%

RENFERT BISON

This unique mixture of bristles ensures a powerful and quick high lustre polish on alloy, porcelain and acrylic facings.

Code	Pack	Size
87R7631000	25pcs	14mmø
87R7661000	25pcs	18mmø

14mm £**28.76 -** saving **20**%

18mm £29.56 - saving 20%

RENFERT POLISH ALL-IN-ONE

Smear free, universal diamond polishing paste for composites and ceramics.

Code 87R5100100 18a



Only **£44.07** saving **30%**

RENFERT SLIM

Ideal for interstitial spaces on acrylic dentures.

Code Pack 87R7881000 12pcs 44mmø

Only £25.56 saving 20%

RENFERT MT PREMIUM

New premium wet model trimmer with integrated light and aqua stop. This latest incarnation is the new flagship in the ever popular Renfert trimmer line up.

- Set Fatigue-free work thanks to the integrated work light
- Cost reduction and resource conservation thanks to aqua stop
- Ouick adjustment of the trimmer table angle using the handy tilt mechanism (90°/98°)
- Optimal sealing: for clean, interference-free work
- Easy and fast cleaning

Code

87R18070000

With Klettfix wheel only £1295.95- PRE-ORDER YOURS

Code

87R18070500

With Marathon diamond wheel only £1795.95- PRE-ORDER YOURS

RENFERT ORTHO GUIDE

The ORTHO guide^{*} transforms the MT premium and MT3 into trimmers specifically for orthodontic use.

- Seast and precise bite oriented trimming of orthodontic models using an intuitive template and a special trimmer table
- Greater precision and optimal alignment of the raphe median plane thanks to a guide light (MT premium only).
- S Fabrication of exact 3D oriented jaw models that take all skull planes into consideration
- Easy, fast, and tool-free cleaning
- Step by step guide with upper and lower jaw models Model trimmer not included.

Code

87R18070100

Only £499.95 - PRE-ORDER YOURS



RENFERT SILENT TC2

Powerful, two workbench, bag-free extraction unit with two independently controlled suction ports, automatic filter cleaning and long-lasting collector motor. Consistent suction power thanks to automatic re-adiustment of flow.

- 3x longer service life in comparison to conventional collector motors (1000 operating hours quaranteed)
- S Low operating noise of max. 55dB

EUKAMED UNDERCUT WAX

- S No follow up costs due to bag-free dust collection
- S Working without interruption due to an uncomplicated motor change within minutes
- C Effective dust reduction using a high volume flow (approx. 4000 l/min)

Code	Size	Dimensions
87R2936000003	23kg	540 x 285 x 535mm

Only £1,946.84 saving 22%

Pink block out wax that is easy to use and smear resistant. Size 70g

Only **£16.11** saving **15%**

INDELIBLE PENCIL


01UCW

Top quality Faber Castell indelible pencil available in red

or blue.	,
Code	Description
FCIPRD	Red
FCIPBL	Blue

Buy two for £3.92 saving 20%













DREVE MOUTHGUARD PROFESSIONAL 3D

Professional 3D mouth guard that is a combination of digital pinting and analogue thermo forming technique. The prefabricated insert is made from a printed silicone (42 ShoreA). Due to its bionic, honeycomb structure the impact will be reduced. Inserts are available in 2 different sizes (L and XL) and 2 qualities (basic and premium). Basic is made for all sports and the premium style is specially made for any stick based sports and professional athletes.

The starter set contains:

- ♦ 4 x Drufosoft[®] 3mm x 120mmø
- ♦ 4 x 3D Protector inlays (1x/type)
- 1 x 20ml Protector Adhesive
- 1 x 20ml Finishing Liquid
- 1 x Mouthguard Box

Code

D44600

Only £111.96 saving 20%

VITA V60 I-LINE®

High performance porcelain furnace using only the highest quality materials. Featuring a contemporary easy to use touch screen display with intuitive menu navigation. The furnace is simplicity itself and requires very little setup. The VITA guartz muffle is incredibly long-lasting, meaning there is very little maintenance required.

Code	Size	Dimensions
VDV601220	18kg	420 x 260 x 570mm

VITA VACUUM PUMP

Suitable for use with all VITA furnaces. Provides a consistent vacuum and level of compressed air in a soundproof box.

Code

VDVPU220

Buy both for only £3,479.31 saving 10%





VITA EASYSHADE[®] V

The VITA Easyshade[®] V digital spectrophotometer was developed for precise, fast and reliable shade determination of natural teeth and ceramic restorations.

- O Precise and reproducible tooth shade determination in seconds, thanks to the latest measuring technology
- Objective and reliable measurements, due to the LED technology that is unaffected by ambient conditions
- Simple and intuitive, thanks to the easy to use touch screen and software
- C Efficient, digital communication for exchanging information about tooth shade and images between the dental practice and the laboratory

VDEASY5

Only £999 - FREE online training course with every purchase

VITACOLL®

Used to ensure a reliable bond between acrylic teeth and cold or heat cured acrylic.

Code	
VA9C100	



Only **£18.71** saving **25**%

100ml

VITAFOL[®] H

Silicone isolating medium that protects denture or ceramic teeth during devesting or pressing. Where Vitafol® H is present on the restoration no separation medium is needed and the teeth should remain clean with no further finishing required. This starter kit is enough do to approximately 100 x 14 teeth dentures. Kit contains 1 x 70ml paste, 1 x 15ml hardening liquid, 1 x 80g crystals, mixing pad and brush.

Code

VAgFL

Only **£39.16** saving **20%**



VITA MFT[®] ANTERIOR

- S Excellent value for money, aesthetic anterior tooth range
- Natural looking incisal edge characteristics and angulation
- Integrated mamelons
- Balanced enamel to dentine relationship
- Reliable shade reproduction
- 12 upper and 5 lower moulds



69711765

VITA MFT[®] POSTERIOR

- S Excellent value for money, aesthetic posterior tooth range
- Simplified setup because of the predefined contact points for automatic occlusion
- Optimised basal design reduces the amount of grinding required
- 3 upper and 3 lower moulds

Buy any combination of **30 SETS OF MFT** for only **£145.95** saving **30%**

DENTSPLY SIRONA POLYFLEX®

Highest quality universal duplicating gel with properties comparable to silicone. Tear resistant with incredibly high definition.



Code 95H5525300195

Only £69.26 saving 10%

Size

7.5kg

GENUINE REKROW MICROTORCH

Genuine Rekrow handheld microtorch, simple to use in-conjunction with a butane refill and has a maximum temperature of 1300°C.

Code 05PMT

Only £26.96 saving 25%

VITAPAN EXCELL® ANTERIOR

- Sor brilliant vitality of shape, shade and play of light.
- Solution Lifelike three-dimensional tooth geometry for brilliant results
- Distinctive incisal characteristics for special vitality
- S Wide palatal bars for ideal interdental spacing / papilla creation
- Pronounced enamel portion / translucent edges for good light dynamics
- S Nuance-rich surface texture for lifelike play of light
- Integrated mamelon structure and whitish incisal region for natural shade effect
- 3D layered structure for natural shade gradient
- Excellent durability
- Contractive design thanks to broadly dimensioned tooth neck
- 22 moulds used in combination with VITAPAN[®] LINGOFORM or any posterior system

VITAPAN® LINGOFORM POSTERIOR

- Solution For all concepts of occlusion due to multifunctional occlusal surface design
- Three-dimensional tooth geometry with natural lingobuccal dimension
- S Multifunctional occlusal surface design with defined centric contacts
- Sinely nuanced surface texture for natural play of light
- Maxillary cusp angle: approx. 15° to 20
- 4 upper and 4 lower moulds











Buy any combination of 10 SETS OF EXCELL AND LINGFORM for only **£132.65** saving **30%**

GENUINE REKROW HOT AIR TORCH

Genuine Rekrow flameless hot air torch supplied with a variety of welding tips.

Code

01TCSHG



Only £33.12 saving 35%

-

SCHULER S-U WAX IN PLATES

Description

Excellent modelling characteristics as well as high resistance to breakage are indicative of its high quality. In addition, the minimal thermal contraction of the wax prevents alterations in the setup.



Heat resistance over 120°C

High dimensional stability

High colour contrast

😫 Millable

Buy three packs for £29.29 saving 30%

Size

ANEXSIL

Code

Addition curing silicone (polyvinylsiloxane) suitable for scanning with optical/laser/tactile scanning systems. The material is multifunctional and adapts perfectly to all techniques. The long working time allows the perfect positioning with extreme ease, without incurring risks of prehardening. The shore hardness of 70 (red)/g0 (blue) is reached in a short time, making it suitable for use with any moulding technique.

- Easy and clean mixing thanks to 1:1 dosage
- High viscosity and workability
- Long working time
- Scannable
- Suitable for moulding techniques
- High detail definition (40µm)
- S Final hardness reached in short time
- High resistance to compression
- Compatible with self and heat curing acrylic resins

Also available in 5kg + 5kg & 10kg +10kg formats.

Code	Description	Size	-
68ANX90	Blue (90)	1kg + 1kg	
68ANX70	Red (70)	1kg + 1kg	

Only £23.16 saving 20%

RENFERT SCANSPRAY EXTRA FINE

Newest family member of the Scanspray range, this extra fine version has a significantly reduced layer thickness for increased definition of the scan. Suitable for implant cases where an increase in the sharpness and detail is required. Excellent edge detail and can be removed without residue – excellent partner to the standard Scanspray.

Code Size 87R17312000 200ml



Only £47.21 saving 25%

GHENESYL MONO

Ghenesyl Mono, is a new impression material with a medium viscosity, ideal for the monophase technique. Recommended for crown and bridge impression taking, implants, inlays, onlays, partial and total edentulous. Thanks to its viscosity it can be used directly on the surface that needs to be reproduced or on an impression tray.

Due to its incredible flexibility, Ghenesyl Mono can, easily be removed from the oral cavity without structural alteration.

- Ideal viscosity for monophase technique
- High accuracy (5µm)
- S Maximum thixotropicity and hydrophilicity
- Section Fast in mouth setting time (90 seconds)
- High resistance to tear (60 shore)
- High elastic recovery (99,9%)
- Good working time (120 seconds)
- S High dimensional stability over time
- S Mint flavour

Code

66GCM

4x50ml (200ml)

Size

Only £26.36 saving 20%

Don't have a cartridge gun? Buy our Centri™ Gun fo



Programme of Education

		MARCH
TU	1	3D Printing
WE	2	Basic Digital Workflow
TH	3	Introduction to TCS Karadent
FR	4	Fundamentals of Scanning
SA	5	
SU	6	
МО	7	
TU	8	Fundamentals of Scanning
WE	9	Basic Digital Workflow
TH	10	3D Printing
FR	11	Hands On Denture Characterisation
SA	12	
SU	13	
МО	14	Fundamentals of Scanning
TU	15	Basic Digital Workflow
WE	16	3D Printing
TH	17	Dreve Advanced Mouthguard
FR	18	Dreve Advanced Mouthguard
SA	19	
SU	20	
МО	21	
TU	22	Digital Implant Retained Bridges
WE	23	Fundamentals of Scanning
TH	24	Basic Digital Workflow
FR	25	3D Printing
SA	26	
SU	27	
мо	28	
TU	29	
WE	30	Basic Digital Workflow
тн	31	3D Printing

		APRIL			
FR	1		SI	J	I
SA	2		M	0	
SU	3		т	J	
мо	4	Basic Digital Workflow	W	E	
TU	5		Т	н	
WE	6		F	R	
ТΗ	7	Fundamentals of Scanning	S	4	
FR	8	3D Printing	SI	IJ	
SA	9		M	0	
SU	10		Т	IJ	
мо	11	Fundamentals of Scanning	W	E	
TU	12	Basic Digital Workflow	Т	н	
WE	13	3D Printing	F	R	
TH	14	Introduction to TCS Karadent	S	4	
FR	15	Introduction to TCS Flexibles	SI	J	
SA	16		M	0	
SU	17		Т	J	
мо	18		W	E	
TU	19	3D Printing	Т	Н	
WE	20	Fundamentals of Scanning	F	R	
TH	21	Digital Implant Retained Bridges	S	4	
FR	22	Basic Digital Workflow	SI	J	
SA	23		M	0	
SU	24		Т	IJ	
мо	25		W	Е	
TU	26		Т	Н	
WE	27	Fundamentals of Scanning	F	२	
тн	28	Basic Digital Workflow	S	Ą	
FR	29	3D Printing	SI	J	
SA	30		M	0	
			Т	J	

	MAY
	Fundamentals of Scanning
	Dreve Advanced Mouthguard
	Dreve Advanced Mouthguard
	Fundamentals of Scanning
)	Basic Digital Workflow
L	3D Printing
2	
3	
L	
5	
5	
7	Cast Partial Dentures Basic
3	Cast Partial Dentures Advanced
)	Laser Welding
)	The VITA Shade Match Formula
L	
2	
3	Basic Digital Workflow
1	3D Printing
5	Digital Implant Retained Bridges
5	Introduction to TCS Karadent
7	Introduction to TCS Flexibles
3	
e	
)	Basic Digital Workflow
L	3D Printing

		JUNE
WE	1	Basic Digital Workflow
ТН	2	Fundamentals of Scanning
FR	3	3D Printing
SA	4	
SU	5	
МО	6	
TU	7	Fundamentals of Scanning
WE	8	Basic Digital Workflow
ТН	9	3D Printing
FR	10	VITA Shade Taking & Advanced Staining
SA	11	
SU	12	
MO	13	Basic Digital Workflow
TU	14	3D Printing
WE	15	
TH	16	Introduction to TCS Karadent
FR	17	Introduction to TCS Flexibles
SA	18	
SU	19	
мо	20	
TU	21	Ceramotion One Touch Course
WE	22	Ceramotion One Touch Course
TH	23	Ceramotion One Touch Course
FR	24	Sleepwell
SA	25	
SU	26	
мо	27	
TU	28	Fundamentals of Scanning
WE	29	Basic Digital Workflow
HT KJ	30	3D Printing
P		

Locati

Level

Locati Level digital.

Locati

Level Showcasing the latest in chrome tramework design and creation techniques. Using all of Dentaurum's trademark products this course will be beneficial to every technician of all ages and experiences.

Level

3D PRINTING (WORKFLOW DESIGN AND PRINT)

ion	East Sussex	Duration	7 hours
	Verified CPD	Cost	£140

One day course, showing the basics of model creation, printing and post-processing. Utilising our printing technology you will get a better understanding of creating a dental model quickly and efficiently.

BASIC DIGITAL WORKFLOW

tion	East Sussex	Duration	7 hours
	Verified CPD	Cost	£140

This course will cover all aspects of the digital workflow. Whether you are new to digital technologies or an experienced user, this course will aid you in planning the complete workflow and help to change your business from analogue to

CAST PARTIAL DENTURES BASIC

tion	East Sussex	Duration	7 hours
	Verified CPD	Cost	£299
	na the latest in ch		

CAST PARTIAL DENTURES ADVANCED

Location	East Sussex	Duration	7 hours
Level	Verified CPD	Cost	£299

Advanced course (or can be booked as part of a two day package with the basic course), that is part of a highly technical day that will showcase solutions for more complex cases and the required design. Using all of Dentaurum's trademark products this course will be beneficial to all echnicians.

CERAMOTION ONE TOUCH

Location	East Sussex	Duration	7 hours	
Level	Verified CPD	Cost	£299	
Ceramotio	n one touch is a	revolutionary	/ system of	
2D and 3D	2D and 3D pastes that have been specially			
developed	developed for the customisation of all monolithic			
restorations made of lithium disilicate and zirconia.				
This course will showcase the original paste glaze				
concept, learning staining and characterisation				
technique	S.			

DIGITAL IMPLANT RETAINED BRIDGES (MGIN)

Location East Sussex Duration 7 hours Level Verified CPD Cost £140 The course will show you all aspects of creating a REAX (Reliable- All-On-X) implant bridge using Ceramill M-gin. Covering the importance of the correct scanning technique, design and nesting.

DREVE ADVANCED MOUTHGUARD

ocation	East Sussex	Duration	7 hours	
evel	Verified CPD	Cost	£399	
This full da	ay course will pro	vide delega	ates with the	
hance of	becoming the fir	st techinica	ns in the UK	
o learn th	e new profession	al 3D _I mout	hguard	
echnique				

FUNDAMENTALS OF SCANNING

ocation	East Sussex	Duration	7 hours
evel	Verified CPD	Cost	£140
ala fullat		un u bland la ancien	a pro o pho o C

This full day course will cover the basic aspects of all things relating to scanning. Utilising the latest technologies from Amann Girrbach and Dentaurum, you will be shown how to setup different types of scanners, understanding the difference between them, scanning multiple items, articulated models, impression materials and everything in between

HANDS-ON DENTURE **CHARACTERISATION WITH VITA**

Location	East Sussex	Duration	7 hours
Level	Verified CPD	Cost	£299
Using the	light curing comp	oosite stains '	VITA
AKZENT L	C and different o	ainaival shade	es of the

KZENT LC and different gingival shades of the veneering composite VITA VM LC flow and paste in combination with the Vitapan Excell, Lingoform and VITA Physiodens teeth.

INTRODUCTION TO TCS KARADENT

Location	East Sussex	Duration	7 hours
Level	Verified CPD	Cost	£199
This one d	lay course is idea	l for those w	ho have, or
have not h	ad any previous	experience \	with TCS
Karadent.	It will provide an i	introduction	to the TCS
Karadent denture system, and its advantages over			
acrylic or o	cold cure denture	es.	
Structuroc	l around a limitor		otepolob c

Structured around a limited group, each delegate will gain a working knowledge with practical hands on experience.

INTRODUCTION TO TCS FLEXIBLES

Location	East Sussex	Duration	7 hours
Level	Verified CPD	Cost	£199

This one day course is ideal for those who have, or have not had any previous experience with the TCS Flexible Denture System. It will provide an introduction to the system and its advantages over acrylic or cold cure dentures.

Structured around a limited group each delegate will gain a working knowledge with practical hands on experience.

LASER WELDING

Location	East Sussex	Duration	5 hours
Level	Verified CPD	Cost	£199
			1 11

Hands on course showcasing the laser welding technique and the technical benefits. Each attendee will get practical experience of using the Dentaurum Compact Laser Welder.

SLEEPWELL (SNORING DEVICE)

Location	East Sussex	Duration	4 hours	
Level	Verified CPD	Cost	£140	
An overview of Snoring and OSA, and the				
treatments available. Looking at the development				
of MAS over the years and the efficacy of currently				
available devices. How can dental technicians play				
a role in the provision of this life changing				
treatment? This will be a mixture of theory and				
practical. You will get to make and take away your				

THE VITA SHADE MATCH FORMULA

own snoring device/appliance.

Location East Sussex Duration 7 hours Level Verified CPD Cost £299 Hands-on, one day course showcasing the latest veneering technologies with VITA LUMEX® AC on VITA AMBRIA® PRESS. This veneering course will demonstrate how utilising the combination of these materials will give you the ultimate aesthetic combination.

VITA SHADE TAKING, ADVANCED STAINING AND GLAZING OF VITA CADCAM MATERIALS

Location	East Sussex	Duration	7 hours
Level	Verified CPD	Cost	£299

Using VITA AKZENT Plus for all VITA ceramic restorations and the new light-curing composite stains VITA AKZENT LC. You will be trained by the shade experts, Vita and this unique course will be an incredible opportunity to learn the latest techniques.

TO BOOK YOUR COURSE OR FOR MORE INFORMATION PLEASE CALL AIMEE ON 0800 0092 444

Win an Incredible MATE X BIKE

With a 750W motor, up to 60m range, colour display and hydraulic brakes

The all new **MATE X**, go ahead and venture off the beaten path.

Aircraft grade 6061 aluminium frame, all-terrain fat tires and full suspension, you are prepared for any adventure. Keeping you in control at all times are its superb disc brakes with fingertip modulation. Packed with smart features for taking any ride to the next level of freedom and pleasure.

- 9 speed computer display with integrated 5V charging port
- 8 speed gears
- Front and rear suspension front with lockout and preload adjustment
- Soldable stem, frame and pedals
- © 20 x 4.0 All-terrain tires with Schrader valve
- Oisc brakes
- 😒 Comfortable saddle
- Easily adjustable saddle/handlebar height

Buy any item from this offer sheet and you will be automatically entered into a prize draw to win the amazing **MATE X Bike**.

The draw will take place on April 1st 2022 and the owner of the winning laboratory will be notified on that day once the verification process has taken place. Competition rules apply and these can be viewed at www.whwplastics.com/competition. With thanks to our incredible sponsors:

Renfer

DENTAURUM VITA



WORTH £2749 - OUR LARGEST PRIZE TO DATE

0800 0092 444 Valid from January 1 - March 31 2022

WHW Plastics Ltd

Therm Road, Hull, East Yorkshire, HU8 7BF UK tel +44 (0)1482 329 154 • fax +44 (0)1482 217140 email: sales@whwplastics.com • website: www.whwplastics.com



PRICES ARE EXCLUSIVE OF VAT AND DELIVERY – STANDARD TERMS AND CONDITIONS APPLY